## Chico Unified School District\_

Administrative Office 1163 EAST SEVENTH STREET CHICO, CA 95928-5999 (916) 891-3000

Ms. Jo Ann Semones T-5-2 EPA Certification US EPA 215 Fremont St. San Francisco, CA 94105

Dear Ms. Semones:

The enclosed letters are being sent for compliance with AHERA regulations section 763.99(a)(7).

Thank you,

Alan Otto

Operations Foreman

Chico Unified School District

Enclosures



## THOMSON & HENDRICKS ARCHITECTS AND PLANNERS

60 DECLARATION DRIVE . CHICO, CALIFORNIA 95928 . (916) 342-5669

December 27, 1989

Chico Unified Corporation Yard 2455 Carmichael Drive Chico, CA 95928 O.S.A. AP. No. 51558

RE: Relocatable Classrooms at the Chapman, Jay Partridge, McManus, Marigold, Shasta, and Sierra View Elementary Schools Project No. 8888

To Whom it May Concern:

\*\*There has been no asbestos containing materials shown on the plans, or specified in the specifications for the above subject project.

If you should have any questions, please contact our office.

Sincerely,

Paul Hendricks Thomson & Hendricks Architects & Planners

PH/1m

## ommo & moreman

Lie. No. 432120-B 775 Entlor Ava. Chico, CA 96028 PAX 916-345-6514 910-346-6400

TO: CHICO UNIFIED SCHOOL DISTRICT

RE: "NO ASBESTOS" LETTER

This letter fulfills Section number nine of the Instructions to Bidders of the Chico Relocatable Classrooms specifications. Ginno & Huffman Construction, Inc. does hereby state that no asbestos has been used in the construction of the relocatable classrooms at the Chapman, Jay Partridge, McManus, Marigold, Shasta and Sierra View Elementary Schools for the Chico Unified School District.

SIGNED: GINNO & HUFFMAN CONSTRUCTION, INC.

BY: Robert A. Ginno, President

DATE:

January 3, 1990

OT/TQ\80 08:00 4807/T0

depositor

Page 1 of 1

## Armstrong Floor Products Asbestos Removal Dates

Technical Information \ Miscellaneous\Armstrong Floor Products Asbestos Removal Dates
Technical Information \ Technical Bullctins\Armstrong Floor Products Asbestos Removal Dates

Armstrong World Industries, Inc. no longer manufacturers resilient floors or adhesives that contain asbestos.

The information provided below represents the last date for each floor product category that Armstrong produced containing asbestos. Please note, these dates reflect Armstrong's last manufacture, not the products' sale or installation.

COMMERCIAL TILE June, 1981

RESIDENTIAL TILE December, 1982

ADHESIVES (S-89 AND S-90) January, 1983

SHEET VINYL April, 1983

Please be advised that there are federal and, in many states, also state and local regulations which you must consult to determine the procedures required to be followed when removing in-place asbestos-containing materials. Most of these regulations focus on friable materials (those which when dry can be crumbled, pulverized or reduced to powder by hand pressure). In our view, resilient floor coverings are nonfriable and not fairly subject to such regulations. You should be aware that some jurisdictions have regulations which do not take into account the nonfriable nature of the removed material. For this reason, and also because the regulations in your state are always subject to change and sometimes varying interpretations, you should contact the governmental agencies within your jurisdiction to determine which, if any, regulations apply to the removal of resilient floor covering, including the use of RFCI (Resilient Floor Covering Institute) Recommended Work Practices for the Removal of Resilient Floor Coverings.

Unless you are <u>absolutely sure</u> that a previously installed, in-place flooring material does not contain asbestos, you should always assume it does contain asbestos. A copy of the <u>Recommended Work Practices</u> is available at <a href="http://rfci.com/">http://rfci.com/</a> or by calling 301 340-8580.

If you need additional information on Armstrong floors, contact 1 800 233-2283.