

Please print or type. (Form designed for use on elite (12-pitch typewriter).)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CAD98145227		Manifest Document No.		2. Page 1 of		Information in the shaded areas is not required by Federal law.		
3. Generator's Name and Mailing Address Chico High School 901 Esplanade, Chico, Ca. 95926						A. State Manifest Document Number 90030017				
4. Generator's Phone 916 891-3095						B. State Generator's ID HAHD36-029809				
5. Transporter 1 Company Name NATIONAL ENVIRONMENTAL CORP.						C. State Transporter's ID 015027				
6. US EPA ID Number CAD98145227						D. Transporter's Phone 800-237-1966				
7. Transporter 2 Company Name						E. State Transporter's ID				
8. US EPA ID Number						F. Transporter's Phone				
9. Designated Facility Name and Site Address Per-Rob Corporation Landfill 3 MI NO/I-40 East side of Porter Ave. Joseph City, AZ. 86032						G. State Facility's ID				
10. US EPA ID Number IAZIC00000000150						H. Facility's Phone (602)288-3605				
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) a. (ASBESTOS) R Q HAZARDOUS SUBSTANCE, SOLID, NOS, ORM-E NA9188						12. Containers No.	Type	13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
										State 151 EPA/Other
										State EPA/Other
										State EPA/Other
										State EPA/Other
J. Additional Descriptions for Materials Listed Above						K. Handling Codes for Wastes Listed Above				
						a. 03				
						b.				
						c.				
						d.				
15. Special Handling Instructions and Additional Information APPROVED RESPIRATORY EQUIPMENT AND PROTECTIVE CLOTHING.										
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.										
Printed/Typed Name ALAN OTTO					Signature <i>Alan Otto</i>			Month Day Year 11/15/90		
17. Transporter 1 Acknowledgement of Receipt of Materials										
Printed/Typed Name Jeffrey H. Burns					Signature <i>Jeffrey H. Burns</i>			Month Day Year 10/13/90		
18. Transporter 2 Acknowledgement of Receipt of Materials										
Printed/Typed Name J Ross					Signature <i>J Ross</i>			Month Day Year 11/16/90		
19. Discrepancy Indication Space										
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.										
Printed/Typed Name Don Reynolds					Signature <i>Don Reynolds</i>			Month Day Year 11/16/90		

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

Do Not Write Below This Line

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

Please print or type. (Form designed for use on elite (12-pitch typewriter).)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. CA00074699082	Manifest Document No.	2. Page 1 of	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Chico High School 901 E. Granada, Chico, Ca. 95076		70-362		A. State Manifest Document Number 90030017	
4. Generator's Phone (916) 891-3095		6. US EPA ID Number		B. State Generator's ID NAH0364029809	
5. Transporter 1 Company Name NATIONAL ENVIRONMENTAL CORP.		8. US EPA ID Number		C. State Transporter's ID 1151247	
7. Transporter 2 Company Name		10. US EPA ID Number		D. Transporter's Phone 800-237-1966	
9. Designated Facility Name and Site Address 3 MI RO/1-40 East Side of Porter Ave. Joseph City, AZ. 86032		12. Containers No. Type		E. State Transporter's ID	
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) a. (ASBESTOS) RQ HAZARDOUS SUBSTANCE, SOLID, NOS, ORM-E MAY188		13. Total Quantity		F. Transporter's Phone	
b.		14. Unit Wt/Vol		G. State Facility's ID	
c.		15. Waste No.		H. Facility's Phone	
d.		16. State		I. EPA/Other	
J. Additional Descriptions for Materials Listed Above		K. Handling Codes for Wastes Listed Above a. 03		b.	
15. Special Handling Instructions and Additional Information APPROVED RESPIRATORY EQUIPMENT AND PROTECTIVE CLOTHING.		c.		d.	
18. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.		Printed/Typed Name		Signature	
17. Transporter 1 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
18. Transporter 2 Acknowledgement of Receipt of Materials		Printed/Typed Name		Signature	
19. Discrepancy Indication Space		20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.		Printed/Typed Name	
				Signature	

HMS, Inc.
HAZARD MANAGEMENT SERVICES, INC.
209-577-8209

June 21, 1990

Mr. Rob Peters
Chico Unified School District
1163 E. Seventh St.
Chico, CA 95928

Dear Mr. Peters:

This letter reports the results of the final clearance air samples collected by HMS, Inc. on June 19, 1990, in the kitchen at Chico Senior High School. The air samples were collected following abatement (removal) of vinyl asbestos floor tile by Phoenix Environmental. Air samples were collected according to EPA AHERA under aggressive air sampling technique. All five air sample concentrations were less than the EPA clearance criteria of 0.01 fibers/cc as analyzed by Phase Contrast Microscopy (PCM). All air samples were at or below 0.001 f/cc.

Enclosed is a copy of the air sampling sheet, laboratory analysis (already provided to you by the laboratory) and accreditation information.

Be sure to include this report as well as all submittals provided by the contractor with your management plan for this school.

Please call me if you have any questions regarding this report.

Sincerely,



Richard Beall, CIH, CSP
Senior Industrial Hygienist

RB/cln:d|\wp\client\chico.usd

Enclosure

P.O. BOX 576848
MODESTO, CA 95357-6848
(209) 551-2000
FAX (209) 551-2005

P.O. BOX 7548
CITRUS HEIGHTS, CA 95621-7548
(916) 723-4350
FAX (916) 723-6917

P.O. BOX 25474
FRESNO, CA 93729
(209) 434-8163
FAX (209) 434-8163

PCM NIOSH 7400 A 2 HR: 24 HR: 48 HR: EXTENDED

Needed By:

TEM AHERA: TEM YAMATE LEVEL I: LEVEL II 24 HR: 48 HR: EXTENDED

Date Collected: 6-19-90 Date Submitted: 6-19-90 Job ID: Chico U.S.D.

Job Site: Chico Sr High - Kitchen Contact: Rob Peterson

Special Instructions: Fax to Chico U.S.D.

Sample #	Location/Activity	Pump	LPM Avg.	On/Off Total	Volume	(UCL)/cc or s/mm ²
HMS-CH-01 CA	Kitchen		70 = 7.7 70 = 7.7 70 = 7.7	1200 1543 22.3	1717.1	.001
HMS-02 CA			86 = 9.4 86 = 9.4 86 = 9.4		2096.2	.001
HMS-03 CA			85 = 9.3 83 = 9.1 84 = 9.2		2051.6	.001
HMS-04 CA			84 = 9.3 84 = 9.3 84 = 9.3		2073.9	.001
HMS-05 CA			69 = 7.6 70 = 7.7 69.5 = 7.65		1705.25	.001
HMS-						
HMS-						
HMS-						
HMS-						
HMS-						

ASBESTOS PROJECT MANAGER'S DAILY REPORT

Date: 6-19-90

Client: Chico U.S.D. Contact: Rob Peters Project: Chico Sr. Hg - Kitch. Contractor: Phoenix Enviro.

Building: _____ No. of Abatement Personnel: ^{NA} No. of Samples Collected: PCM 5

TEM _____ BULK _____ ^{HMS} Shift start time: 10:30 Shift end time: 1600

±1030 Met w/ Principle of summer school at Chico Sr High. He told me where the work was done. I found the door open and no one there. So I unloaded my equipment and inspected the containment area. I found it to be clean but there were still puddles of encapsulant on the floor and the walls were still sticky (too early to take CA's).

I went to the school's office to call Rob Peters and had to wait quite awhile for him to call back (finally I called him back. He was on his way to meeting me at ^{the} site).

± 11:50 I informed him of my findings. At this point ^{just} he informed me that Precision was doing the analysis not asbestos as I had assumed. So I called and canceled at Asbestos.


±1200 Samples started because results need ASAP

± 1600 Samples completed

± 19:15 Samples at Lab

± 20:50 Lab says all UCL .001 or less so I informed

Tim Kemper of Phoenix



PRECISION MICRO-ANALYSIS

SPECIALISTS IN ASBESTOS-RELATED ANALYSIS

Air Sample Analysis (PCM) Report for:

Report # 90170018

James Sharp, Jr.
Hazard Management Services, Inc.
P.O. Box 7548
Citrus Heights, CA 95621

Date Received: 06/19/90

Date Analyzed: 06/19/90


Job: Chico U.S.D.
Chico Senior High-Kitchen
Contact: Rob Peters

Phone: (916) 723-4350

Sample Number	Lab #	Sample Location / Personnel	Date	Air Vol.	F/CC	U.C.L.	L.O.D.
HMS-CH-01-CA	90-32564	Clearance: Kitchen	06/19/90	1717	0.001*	0.001	0.002
HMS-CH-02-CA	90-32565	Clearance: Kitchen	06/19/90	2096	0.001*	0.001	0.001
HMS-CH-03-CA	90-32566	Clearance: Kitchen	06/19/90	2052	<0.001*	0.001	0.001
HMS-CH-04-CA	90-32567	Clearance: Kitchen	06/19/90	2074	<0.001*	0.001	0.001
HMS-CH-05-CA	90-32568	Clearance: Kitchen	06/19/90	1706	0.001*	0.001	0.002

Total Number of Samples: 5

Supervisor: 

Analyst: 

Page 1-

* This sample was below the limit of detection (7 fibers per square millimeter of filter) for the NIOSH 7400 method.

Note: The test result findings of this report are made to the methodologies and parameters described on the reverse side of this page

5685-A Power Inn Road • Sacramento, CA 95824 • (916) 381-0695 • FAX (916) 381-3805

By accepting this(these) test result(s), client acknowledges and accepts all parameters and methodologies stated below for the sample testing service performed and the results reported on this form by Precision Micro-Analysis.

Air Sample Analysis

In the analyses of air samples, Precision Micro-Analysis performs the service of determining the fiber density on the air sample filter, and uses this value and the air volume data from the sample to calculate the number of fibers per volume of air. Precision Micro-Analysis analyzes all air samples in strict accordance with the NIOSH Method 7400, using "A" counting rules, unless otherwise specified.

The "F/CC" value is the calculated number of fibers per cubic centimeter of air.

The "L.O.D." is the limit of detection of the NIOSH Method 7400. This value is calculated from the estimated limit of detection of the method of 7.0 fibers per square millimeter of filter, and the air volume for the individual sample.

The "U.C.L." is a 95% upper confidence limit for the calculated analytical value, given in units of fibers per cubic centimeter of air. This upper confidence limit is calculated from data derived from Precision Micro-Analysis' continuing inter-laboratory sample exchange studies. This data is available to clients of Precision Micro-Analysis upon request.

Precision Micro-Analysis is not responsible for errors which result from improper sampling or inaccurate pump flow rate, sampling time, or sampling location data.

Precision Micro-Analysis reserves the right to deem any air sample it receives as "not suitable for analysis" due to a damaged, overloaded, or coated filter or missing or illegible air volume data.

Bulk Sample Analysis

In the analyses of bulk material samples, Precision Micro-Analysis performs the service of determining whether the sample contains asbestos material, and—if it does—of determining the specific type of asbestos, and estimating the percentage of the asbestos within the sample.

Precision Micro-Analysis performs all bulk sample analyses utilizing Polarized Light Microscopy with Dispersion Staining and uses:

NVLAP Test
Method Code

Test Method Designation

18/A01

40 Code of Federal Regulations Chapter I (1-1-87 edition) Part 763, Subpart F, Appendix A, pages 293-299 or the current U.S. Environmental Protection Agency Method for the analysis of asbestos in building materials by polarized light microscopy.

The percentages given are estimates of the relative proportions of the areas of the specific materials to the area of the total sample received.

A sample result of "trace" means that some asbestos was found, but in a quantity which represents less than 1% of the total area of the sample.

Some tile materials, including VAT (Vinyl Asbestos Tile) can contain asbestos in a non-friable mix which has been reduced to fibers of such fine dimension that it is difficult or impossible to detect those fibers with PLM (Polarized Light Microscopy) bulk sample analysis. Accordingly, clients may wish to consider re-testing, by bulk TEM (Transmission Electron Microscopy) analysis, those tile materials with PLM analytical results of "trace" (less than 1%) or "no asbestos detected".

In the performance of bulk sample analyses, Precision Micro-Analysis does not make or imply any statements concerning the health hazards of the environment from which the sample was taken. Nor does Precision Micro-Analysis imply that the contents of the sample received by this laboratory is the same as all such material in the environment from which the sample was taken. In other words, our test results only relate to the item(s) tested.

Precision Micro-Analysis reserves the right to deem any sample it receives as "not suitable for analysis" due to an insufficient amount of sample material, or possible cross-contamination due to improper packaging.

Please note - Clients of Precision Micro-Analysis should understand that the laboratory accreditation of Precision Micro-Analysis by NVLAP and/or the use by Precision Micro-Analysis of the NVLAP logo on its test reports in no way constitutes or implies product certification, approval, or endorsement by NIST (National Institutes for Standards and Technology) or any agency of the U.S. Government.

Lab Certifications and Registrations

National Voluntary Laboratory Accreditation Program (NVLAP),
National Institute of Standards & Technology
(NIST), Accredited Lab #1656



State of California, Department of Health Services, Environmental
Laboratory Accreditation Program (ELAP),
Accredited Lab # E629

E.P.A. Interim Laboratory Accreditation Program:
Lab #9515

National Institute for Occupational Safety and Health
Proficiency Analytical Testing (PAT) Program:
Lab #95815-001

American Industrial Hygiene Association - Asbestos Analysis Registry:
Lab #95815-001

*Precision Micro-Analysis is also an active participant in
several inter-laboratory sample exchange programs.*

UNIVERSITY OF CALIFORNIA BERKELEY UNIVERSITY EXTENSION

This is to certify that
JAMES E SHARP, JR.

has attended the

AHERA Refresher Course for Asbestos Contractors and Supervisors

September 7, 1989

Certificate number: 250

Valid until: September 7, 1990



Vivian Sutcher
Assistant Dean
University Extension

Dorothy D. H.
Program Director
Pacific Asbestos Information Center

89820098

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Chico Unified School District 1163 Seventh Street Chico, CA 95928		6. US EPA ID Number CAD98141522700000		A. State Manifest Document Number 89820098		
4. Generator's Phone (916) 891-3000		8. US EPA ID Number CAD120804497		B. State Generator's ID HYD36029809		
5. Transporter 1 Company Name APC Contractors, Inc.		10. US EPA ID Number CAD120804497		C. State Transporter's ID 5268		
7. Transporter 2 Company Name APC Contractors, Inc.		12. Containers No. Type 001 DF		D. Transporter's Phone (209) 441-7971		
9. Designated Facility Name and Site Address Forward, Inc. Landfill 9999 Austin Rd. Stockton, CA 95203		14. Unit Wt/Vol 0010101		E. State Transporter's ID 5268		
11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number) a. RQ, Hazardous Waste Solid, NOS, ORM-E, NA9189 (Asbestos) <i>Cardboard Barrel</i>		13. Total Quantity 0010101		F. Transporter's Phone (209) 441-7971		
b.		14. Unit Wt/Vol		G. State Facility's ID CAD990794133		
c.		14. Unit Wt/Vol		H. Facility's Phone (209) 982-4298		
d.		14. Unit Wt/Vol		I. Waste No. State 151 EPA/Other		
J. Additional Descriptions for Materials Listed Above 100% Asbestos Waste Mixture		K. Handling Codes for Wastes Listed Above a. 03 b. c. d.				
15. Special Handling Instructions and Additional Information Project: Chico Sr. High School, Asbestos Removal (Roof) DO NOT BREAK BAGS OR CAUSE DUST. AVOID BREATHING DUST. BURY SEPARATELY AND COVER WITH BACKFILL.						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name		Signature		Month Day Year		
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name Ralph Williams		Signature <i>Ralph Williams</i>		Month Day Year 10/7/10 9/10		
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month Day Year		
Printed/Typed Name RICHARD W. BURTON		Signature <i>R. W. Burton</i>		Month Day Year 10/7/10 9/10		
19. Discrepancy Indication Space						
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.						
Printed/Typed Name Ralph Williams		Signature <i>Ralph Williams</i>		Month Day Year 10/7/10 9/10		

CS

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest
Document No.

2. Page 1

Information in the shaded areas
is not required by Federal law.

CA D 9 8 1 4 1 5 2 2 7 0 10 10 10 12

3. Generator's Name and Mailing Address

Chico Unified School District
1163 Seventh Street Chico, CA 95928

4. Generator's Phone (916) 891-3000

A. State Manifest Document Number

89820098

B. State Generator's ID

HYH036029809

C. State Transporter's ID

D. Transporter's Phone (209) 441-7971

5. Transporter 1 Company Name

APC Contractors, Inc.

6. US EPA ID Number

CA D 1 2 0 8 0 4 4 9 7

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

Forward, Inc. Landfill
9999 Austin Rd.
Seockton, CA 95203

10. US EPA ID Number

CA D 9 9 0 7 9 4 1 1 3 3

G. State Facility's ID

CA D 9 9 0 7 9 4 1 1 3 3

H. Facility's Phone

(209) 982-4298

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers
No. Type

13. Total
Quantity

14. Unit
Wt/Vol

1. Waste No.

a. RQ, Hazardous Waste Solid, NOS, ORM-E, NA9189
(Asbestos)

DF

Y

State

151

EPA/Other

b.

State

EPA/Other

c.

State

EPA/Other

d.

State

EPA/Other

J. Additional Descriptions for Materials Listed Above

100% Asbestos Waste Mixture

K. Handling Codes for Wastes Listed Above

a. 03

b.

c.

d.

15. Special Handling Instructions and Additional Information

Project: Chico Sr. High School, Asbestos Removal (Roof)
DO NOT BREAK BAGS OR CAUSE DUST. AVOID BREATHING DUST. BURY SEPARATELY AND COVER
WITH BACKFILL.

16.

GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

ROBERT PETERS

Signature

Robert Peters

Month Day Year

10 7 19 90

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Rafael Williams

Signature

Rafael Williams

Month Day Year

10 7 19 90

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

GENERATOR

TRANSPORTER

FACILITY

93053645

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7575

GENERATOR

TRANSPORTER

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.	
3. Generator's Name and Mailing Address Chico Unified School District 1163 E. Seventh Street Chico, CA 95928		C A D 9 8 1 4 1 5 2 2 7	5 3 6 4 5	A. State Manifest Document Number 93053645		
4. Generator's Phone (916) 891-3905		6. US EPA ID Number C A D 9 8 1 6 3 4 8 9 2		B. State Generator's ID H A R 0 3 6 - 0 2 9 8 0 9		
5. Transporter 1 Company Name A.R.S.		8. US EPA ID Number		C. State Transporter's ID 401003	D. Transporter's Phone 916/643-2240	
7. Transporter 2 Company Name		10. US EPA ID Number		E. State Transporter's ID	F. Transporter's Phone	
9. Designated Facility Name and Site Address Anderson Solid Waste, Inc. 18703 Cambridge Road Anderson, CA 96007		10. US EPA ID Number C A D 9 8 1 3 8 8 0 5 2		G. State Facility's ID C A D 9 8 1 3 8 8 0 5 2	H. Facility's Phone 916/347-5236	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type		13. Total Quantity	14. Unit Wt/Vol	I. Waste Number State EPA/Other
a. P.O., Waste Asbestos, 2, HA 2212, III		637 BIA 00020			Y	151
b.						
c.						
d.						
J. Additional Descriptions for Materials Listed Above Asbestos-Containing Material California Regulated Waste Only		K. Handling Codes for Wastes Listed Above a. 03		b.		
15. Special Handling Instructions and Additional Information Wear respirator and protective clothing when unloading. Cover with dirt by end of shift. DO NOT RE-EMERGE FROM RECEIVING AREA						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.						
Printed/Typed Name W. A. O. R. I. C.		Signature W. A. O. R. I. C.		Month Day Year 11 11 91		
17. Transporter 1 Acknowledgement of Receipt of Materials Printed/Typed Name Vito Mark		Signature Vito Mark		Month Day Year 11 11 91		
18. Transporter 2 Acknowledgement of Receipt of Materials Printed/Typed Name Vito Mark		Signature Vito Mark		Month Day Year 11 11 91		
19. Discrepancy Indication Space						
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19. Printed/Typed Name W. A. O. R. I. C.		Signature W. A. O. R. I. C.		Month Day Year 11 11 91		

DO NOT WRITE BELOW THIS LINE.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS.
(Generators who submit hazardous waste for transport out-of-state, produce completed copy of this copy and send to DTSC within 30 days.)

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.	Manifest Document No.	2. Page 1 of 1	Information in the shaded areas is not required by Federal law.
3. Generator's Name and Mailing Address Chico Unified School District 1163 E. Seventh Street Chico, CA 95928		C A D 9 8 1 4 1 5 2 2 7 5 1 3 1 4 1 5		A. State Manifest Document Number 93053645	
4. Generator's Phone (916) 891-3005		6. US EPA ID Number		B. State Generator's ID H A H 0 3 6 - 0 2 9 8 0 9	
5. Transporter 1 Company Name A.R.S.		C. State Transporter's ID 401003		D. Transporter's Phone 916/645-2240	
7. Transporter 2 Company Name		8. US EPA ID Number		E. State Transporter's ID	
9. Designated Facility Name and Site Address Anderson Solid Waste, Inc. 18703 Cambridge Road Anderson, CA 96007		10. US EPA ID Number C A D 9 8 1 3 8 8 9 5 2		F. Transporter's Phone	
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)		12. Containers No. Type		13. Total Quantity	14. Unit Wt/Vol
a. P.Q., Waste Asbestos, 9, HA 2212, III		637 BIA 00020		Y	I. Waste Number State 151 EPA/Other
b.					State EPA/Other
c.					State EPA/Other
d.					State EPA/Other
J. Additional Descriptions for Materials Listed Above Asbestos-Containing Material California Regulated Waste Only		K. Handling Codes for Wastes Listed Above a. 03 b. c. d.			
15. Special Handling Instructions and Additional Information Wear respirator and protective clothing when unloading. Cover with dirt by end of shift.					
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.					
Printed/Typed Name		Signature		Month	Day Year
17. Transporter 1 Acknowledgement of Receipt of Materials		Signature		Month	Day Year
18. Transporter 2 Acknowledgement of Receipt of Materials		Signature		Month	Day Year
19. Discrepancy Indication Space					
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.		Signature		Month	Day Year

DO NOT WRITE BELOW THIS LINE.

C-388(D)

**UNIFORM HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Document No.

2. Page 1

Information in the shaded areas
is not required by Federal law.

C A D 9 8 1 4 1 5 2 2 7

3. Generator's Name and Mailing Address

Chico Unified School District
1163 E. Seventh St., Chico, CA 95928

4. Generator's Phone (916) 891-3095

5. Transporter 1 Company Name

6. US EPA ID Number

BDC Services, Inc.

C A D 9 8 1 4 5 5 5 2 0

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

California Asbestos Monofill
O'Byrnes Ferry Rd.
Copperopolis, CA 95228

10. US EPA ID Number

C A L 0 0 0 0 2 7 7 4 1

11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers
No. Type

13. Total
Quantity

14. Unit
Wt/Vol

15. Waste Number

a. R.Q., Waste Asbestos, 9, NA2212, -H1

CM 00040
01011

Y

State
151

b.

State
EPA/Other

c.

State
EPA/Other

d.

State
EPA/Other

J. Additional Descriptions for Materials Listed Above

Asbestos-containing material
California regulated waste only

15. Special Handling Instructions and Additional Information

Respirator and protective clothing when unloading.
Cover with dirt by end of shift.
Emergency Phone Number: 800/535-5053

ASBESTOS REMOVAL
40 CFR 61 (CFR 61.141)

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

DO NOT WRITE BELOW THIS LINE.

93053642

IN CASE OF EMERGENCY OR SPILL, CALL THE NATIONAL RESPONSE CENTER 1-800-424-8802; WITHIN CALIFORNIA, CALL 1-800-852-7321

GENERATOR

TRANSPORTER

FACILITY

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No.		Manifest Document No.		2. Page 1 of		Information in the shaded areas is not required by Federal law.					
		C A D 9 8 1 4 1 5 2 2 7											
3. Generator's Name and Mailing Address Chico Unified School District 1163 E. Seventh St., Chico, CA 95928						A. State Manifest Document Number 93053642							
4. Generator's Phone (916) 891-3095						B. State Generator's ID HA 036029809							
5. Transporter 1 Company Name BDC Services, Inc.						C. State Transporter's ID 413136							
6. US EPA ID Number C A D 9 8 1 4 5 5 2 0						D. Transporter's Phone 800/428-5232							
7. Transporter 2 Company Name						E. State Transporter's ID							
8. US EPA ID Number						F. Transporter's Phone							
9. Designated Facility Name and Site Address California Asbestos Monofill O'Byrnes Ferry Rd. Copperopolis, CA 95228						G. State Facility's ID C A L 0 0 0 0 2 7 7 4 1							
10. US EPA ID Number C A L 0 0 0 0 2 7 7 4 1						H. Facility's Phone 800/852-4031							
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID Number)						12. Containers No. Type		13. Total Quantity		14. Unit Wt/Vol		I. Waste Number	
a. R.Q., Waste Asbestos, 9, NA2212, III BROWN												State 151 EPA/Other	
b.												State EPA/Other	
c.												State EPA/Other	
d.												State EPA/Other	
J. Additional Descriptions for Materials Listed Above Asbestos-containing material California regulated waste only						K. Handling Codes for Wastes Listed Above a. 03 b. c. d.							
15. Special Handling Instructions and Additional Information Wear respirator and protective clothing when unloading. Cover with dirt by end of shift. Emergency Phone Number: 800/535-5053													
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of the consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable federal, state and international laws. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.													
Printed/Typed Name						Signature				Month Day Year			
17. Transporter 1 Acknowledgement of Receipt of Materials						Signature				Month Day Year			
18. Transporter 2 Acknowledgement of Receipt of Materials						Signature				Month Day Year			
19. Discrepancy Indication Space													
20. Facility Owner or Operator Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.													
Printed/Typed Name						Signature				Month Day Year			

DO NOT WRITE BELOW THIS LINE.

**NON-HAZARDOUS
WASTE MANIFEST**

1. Generator's US EPA ID No.

Manifest Doc. No.

2. Page 1

1 of

02-107

Generator's Name and Mailing Address

CHICO UNIFIED SCHOOL DISTRICT SITE: 901 THE ESPLANADE
1163 EAST 4TH ST, CHICO, CA 95928 CHICO, CA 95926

4. Generator's Phone (530-891-3195

5. Transporter 1 Company Name

JANUS CORPORATION

6. US EPA ID Number

C A L 0 0 0 1 9 0 7 5

A. Transporter's Phone

925-969-9200

7. Transporter 2 Company Name

B & J LANDFILL

8. US EPA ID Number

B. Transporter's Phone

9. Designated Facility Name and Site Address

VACAVILLE, CA. 95667

10. US EPA ID Number

C A 0 9 8 2 0 4 2 4 7 5

C. Facility's Phone

707-451-3276

11. Waste Shipping Name and Description

a. NON FRIABLE WASTE:

12. Containers

No.

Type

13. Total
Quantity14. Unit
Wt/Vol

001 CM 666/5 Y

b.

c.

d.

D. Additional Descriptions for Materials Listed Above

E. Handling Codes for Wastes Listed Above

15. Special Handling Instructions and Additional Information

JANUS CORP., 1001 SHARY CIRCLE, CONCORD, CA 94518 - 24 HR EMER. # 925-969-9200
EPA REGION IX
BAAQMD, 939 ELLIS STREET, S.F., CA

16. GENERATOR'S CERTIFICATION: I certify the materials described above on this manifest are not subject to federal regulations for reporting proper disposal of Hazardous Waste.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

18. Transporter/2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of waste materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

GENERATOR'S COPY

SIX-MONTH SURVEILLANCE

Page 1 of 5

DISTRICT Chico Unified School District DATE Dec. 3, 1990SCHOOL Chico Senior High INSPECTOR Robert Peters RP

BLDG.	HOMOG. MAT.#	ASBESTOS MATERIAL	LOCATION	CONDITION: CODE & COMMENTS
A	Mud Jnt	5-10	Darkroom - Attic	1-4
A	Mesh wrap	15-20	Darkroom - Attic	1-4
A	Tran panl	Assumed	Red painted panels along walkways, janitor closets, rr, stairwells	1-4
B	12" VFT	1-5	All rooms	1-4
C	12" VFT	1-5	Room 10	1-4
C	12" VFT	1-5	All rooms	1-4
400	Mud jnt	5-10	Library Attic	1-4
500	Tran panl	Assumed	2 - Kilns	1-4
500	Mud jnts	5-10	Fine Arts	1-4
500	Mud jnts	5-10	Room F-1	1-4

CONDITION CODES

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)
 CHANGE IN CONDITION: (4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)
 ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED
 MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

SIX-MONTH SURVEILLANCE

Page 2 of 5

DISTRICT Chico Unified School District DATE Dec. 3, 1990

SCHOOL Chico Senior High INSPECTOR Robert Peters

BLDG.	HOMOG. MAT.#	ASBESTOS MATERIAL	LOCATION	CONDITION: CODE & COMMENTS
S	Heat Shld paper	75-80	Rm S-3	2-7
S	Bl countr	Assumed	Science Rooms	1-4
S	Mud jnts	5-10	All Rooms	1-4
S	9" VFT Bg	1-5	All Rooms	1-4
S	PW Str	65-70	Rm S-5 Storeroom	2-4
H 700	Bir Ins	25-35	Home Ec Boiler Room	2-4
700	TOC	1-5	Music wing hall ceiling	7
700	TOC	1-5	Instrument storage room	1-4
700	9" VFT y1	5-10	Music Wing Hall	7
700	Tran Peg Board	15-20	Custodial & Band Room	1-4
700	Hold tank	Assumed	Home Ec Heater Room	2-4

CONDITION CODES

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)
 CHANGE IN CONDITION: (4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)
 ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED
 MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

SIX-MONTH SURVEILLANCE

Page 3 of 5

DISTRICT Chico Unified School DistrictDATE Dec. 3, 1990SCHOOL Chico Senior HighINSPECTOR Robert Peters

BLDG.	HOMOG. MAT.#	ASBESTOS MATERIAL	LOCATION	CONDITION: CODE & COMMENTS
700	PW Str	75-80	Home Ec Storage Closet	1-4
700	PW Str	75-80	2nd Home Ec Storage Closet	1-4
700	PW Cnr	75-80	Home Ec Storage Closet	1-4
700	Door Fill	25-35	Home Ec Heater Room	1-4
700	PW Str	5-10	Home Ec Heater Room	4
700	Tran pipe	Assumed	Home Ec Heater Room	1-4
700	PW Aircel	Assumed	Under Choral Room Risers	2-4
700	PW Debris	Assumed	Under Choral Room Risers	1-4
1000	PW Str	35-40	Auto Shop, Loft, Woodshop	1-3 Wood shop 12" missing
1100	Wall plas	1-5	Ag Classroom 2 (space 3)	1-4
1100	Tran panl	15-20	Ag Shop Welding Booth	2-4

CONDITION CODES

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)

CHANGE IN CONDITION: (4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)

ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED

MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

SIX-MONTH SURVEILLANCE

Page 4 of 5

DISTRICT Chico Unified School District DATE Dec. 3, 1990SCHOOL Chico Senior High INSPECTOR Robert PetersBLDG. HOMOG. ASBESTOS
MAT.# MATERIAL

LOCATION

CONDITION: CODE & COMMENTS

1100	Tran pipe	Assumed	Ag Shop (two pipes)	1-4	
900	PW Str	50-55	Girls/Boys Locker Room	1-4	
900	PW Str	50-55	Girls/Boys Boil rm crawl sp	3-4	
900	Tank Wrap	1-5	Gym Boiler Room	2-4	
900	Mud Jnt	5-10	Gym Boiler Room	2-4	
900	Boiler rm gasket	85-90	Gym Boiler Room	1-4	
900	Wall & ceil plas	1-5	All rooms except Boiler Room	5-2 wt rm, chair rm, dance rm hallway girls side door 2' sq hole + other damage	
800	9" VFT Gy	1-5	Kitchen	1-4	
800	TOC	1-5	All Rooms	2-4	
800	Tran panl	Assumed	Snack Bar	1-4	
800	Tran panl	Assumed	Stage & Cafe	1-4	

CONDITION CODES

GENERAL CONDITION:

(1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)
(4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)

CHANGE IN CONDITION:

(6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED
(11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

MISC:

DATE Dec. 3, 1990

INSPECTOR Robert Peters

CONDITION: CODE & COMMENTS

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)

CHANGE IN CONDITION:

ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED

MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

SIX-MONTH SURVEILLANCE

DISTRICT Chico Unified School District DATE July 12, 1990

SCHOOL Chico Senior High INSPECTOR Robert Peters V.C.

BLDG.	HOMOG. MAT.#	ASBESTOS MATERIAL	LOCATION	CONDITION: CODE & COMMENTS
A	Mud Jnt	5-10	Darkroom - Attic	1
A	Mesh wrap	15-20	Darkroom - Attic	1
A	Tran panl	Assumed	Red painted panels along walkways, janitor closets, rr, stairwells	1
B	12" VFT	1-5	All rooms	1
C	12" VFT	1-5	Room 10	1
C	12" VFT	1-5	All rooms	1
400	Mud jnt	5-10	Library Attic	1
500	Tran panl	Assumed	2 - Kilns	1
500	Mud jnts	5-10	Fine Arts	1

CONDITION CODES

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)
 CHANGE IN CONDITION: (4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)
 ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED
 MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

SIX-MONTH SURVEILLANCE

Page 2 of 5

DISTRICT Chico Unified School District DATE July 12, 1990SCHOOL Chico Senior High INSPECTOR Robert Peters R.P.

HOMOG.		ASBESTOS		LOCATION	CONDITION: CODE & COMMENTS
BLDG.	MAT.#	MATERIAL			
S	Heat Shld paper	75-80		Rm S-3	2
S	Bl countr	Assumed		Science Rooms	1
S	Mud jnts	5-10		All Rooms	1
S	9" VFT Bg	1-5		All Rooms	1
S	PW Str	65-70		Rm S-5 Storeroom	2
H 700	Bir Ins	25-35		Home Ec Boiler Room	2
700	TOC	1-5		Music wing hall ceiling	7
700	TOC	1-5		Instrument storage room	1
700	9" VFT y1	5-10		Music Wing Hall	7
700	Tran Peg Board	15-20		Custodial & Band Room	1
700	Hold tank	Assumed		Home Ec Heater Room	2

CONDITION CODES

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)
 CHANGE IN CONDITION: (4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)
 ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED
 MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

SIX-MONTH SURVEILLANCE

Page 3 of 5

DISTRICT Chico Unified School District DATE July 12, 1990

SCHOOL Chico Senior High INSPECTOR Robert Peters R.P.

BLDG.	HOMOG. MAT.#	ASBESTOS MATERIAL	LOCATION	CONDITION: CODE & COMMENTS	
700	PW Str	75-80	Home Ec Storage Closet	1	
700	PW Str	75-80	2nd Home Ec Storage Closet	1	
700	PW Cnr	75-80	Home Ec Storage Closet	1	
700	Door Fill	25-35	Home Ec Heater Room	1	
700	PW Str	5-10	Home Ec Heater Room	1,5,6	
700	Tran pipe	Assumed	Home Ec Heater Room	1	
700	PW Aircel	Assumed	Under Choral Room Risers	2	
700	PW Debris	Assumed	Under Choral Room Risers	1	
1000	PW Str	35-40	Auto Shop, Loft, Woodshop	1	
1100	Wall plas	1-5	Ag Classroom 2 (space 3)	1	
1100	Tran panl	15-20	Ag Shop Welding Booth	2	

CONDITION CODES

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)

CHANGE IN CONDITION: (4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)

ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED

MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

SIX-MONTH SURVEILLANCE

Page 4 of 5

DISTRICT Chico Unified School District DATE July 12, 1990SCHOOL Chico Senior High INSPECTOR Robert Peters 2.2.

BLDG.	HOMOG.	ASBESTOS	MATERIAL	LOCATION	CONDITION: CODE & COMMENTS
1100	Tran pipe	Assumed		Ag Shop (two pipes)	1
900	PW Str	50-55		Girls/Boys Locker Room	3,5,10
900	PW Str	50-55		Girls/Boys Boil rm crawl sp	2
900	Tank Wrap	1-5		Gym Boiler Room	2
900	Mud Jnt	5-10		Gym Boiler Room	1
900	Boiler rm gasket	85-90		Gym Boiler Room	1
900	Wall & ceil plas	1-5		All rooms except Boiler Room	1
800	9" VFT GY	1-5		Kitchen	1
800	TOC	1-5		All Rooms	2
800	Tran panl	Assumed		Snack Bar	1
800	Tran panl	Assumed		Stage & Cafe	1

CONDITION CODES

GENERAL CONDITION: (1) GOOD (2) DAMAGED (3) SIGNIFICANTLY DAMAGED (25% OR MORE)
 CHANGE IN CONDITION: (4) NO (5) YES (IF YES, EXPLAIN UNDER COMMENTS)
 ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED
 MISC: (11) INACCESSIBLE, NO SURVEILLANCE DATA (12) OTHER (EXPLAIN UNDER COMMENTS)

DISTRICT Chico Unified School District DATE July 12, 1990

SCHOOL Chico Senior High INSPECTOR Robert Peters R.P.

[illegible]

CONDITION CODES

ITEM	QUANTITY	CONDITION	(1) GOOD	(2) DAMAGED	(3) SIGNIFICANTLY DAMAGED (25% OR MORE)
1. 1000	1000	GOOD			
2. 1000	1000	GOOD			
3. 1000	1000	GOOD			
4. 1000	1000	GOOD			
5. 1000	1000	GOOD			
6. 1000	1000	GOOD			
7. 1000	1000	GOOD			
8. 1000	1000	GOOD			
9. 1000	1000	GOOD			
10. 1000	1000	GOOD			
11. 1000	1000	GOOD			
12. 1000	1000	GOOD			
13. 1000	1000	GOOD			
14. 1000	1000	GOOD			
15. 1000	1000	GOOD			
16. 1000	1000	GOOD			
17. 1000	1000	GOOD			
18. 1000	1000	GOOD			
19. 1000	1000	GOOD			
20. 1000	1000	GOOD			
21. 1000	1000	GOOD			
22. 1000	1000	GOOD			
23. 1000	1000	GOOD			
24. 1000	1000	GOOD			
25. 1000	1000	GOOD			
26. 1000	1000	GOOD			
27. 1000	1000	GOOD			
28. 1000	1000	GOOD			
29. 1000	1000	GOOD			
30. 1000	1000	GOOD			
31. 1000	1000	GOOD			
32. 1000	1000	GOOD			
33. 1000	1000	GOOD			
34. 1000	1000	GOOD			
35. 1000	1000	GOOD			
36. 1000	1000	GOOD			
37. 1000	1000	GOOD			
38. 1000	1000	GOOD			
39. 1000	1000	GOOD			
40. 1000	1000	GOOD			
41. 1000	1000	GOOD			
42. 1000	1000	GOOD			
43. 1000	1000	GOOD			
44. 1000	1000	GOOD			
45. 1000	1000	GOOD			
46. 1000	1000	GOOD			
47. 1000	1000	GOOD			
48. 1000	1000	GOOD			
49. 1000	1000	GOOD			
50. 1000	1000	GOOD			
51. 1000	1000	GOOD			
52. 1000	1000	GOOD			
53. 1000	1000	GOOD			
54. 1000	1000	GOOD			
55. 1000	1000	GOOD			
56. 1000	1000	GOOD			
57. 1000	1000	GOOD			
58. 1000	1000	GOOD			
59. 1000	1000	GOOD			
60. 1000	1000	GOOD			
61. 1000	1000	GOOD			
62. 1000	1000	GOOD			
63. 1000	1000	GOOD			
64. 1000	1000	GOOD			
65. 1000	1000	GOOD			
66. 1000	1000	GOOD			
67. 1000	1000	GOOD			
68. 1000	1000	GOOD			
69. 1000	1000	GOOD			
70. 1000	1000	GOOD			
71. 1000	1000	GOOD			
72. 1000	1000	GOOD			
73. 1000	1000	GOOD			
74. 1000	1000	GOOD			
75. 1000	1000	GOOD			
76. 1000	1000	GOOD			</

CHANGE IN CONDITION:	(4) NO	(5) YES (IF YES, EXPLAIN UNDER COMMENTS)
1. <u> </u>		
2. <u> </u>		
3. <u> </u>		
4. <u> </u>		
5. <u> </u>		
6. <u> </u>		
7. <u> </u>		
8. <u> </u>		
9. <u> </u>		
10. <u> </u>		
11. <u> </u>		
12. <u> </u>		
13. <u> </u>		
14. <u> </u>		
15. <u> </u>		
16. <u> </u>		
17. <u> </u>		
18. <u> </u>		
19. <u> </u>		
20. <u> </u>		
21. <u> </u>		
22. <u> </u>		
23. <u> </u>		
24. <u> </u>		
25. <u> </u>		
26. <u> </u>		
27. <u> </u>		
28. <u> </u>		
29. <u> </u>		
30. <u> </u>		
31. <u> </u>		
32. <u> </u>		
33. <u> </u>		
34. <u> </u>		
35. <u> </u>		
36. <u> </u>		
37. <u> </u>		
38. <u> </u>		
39. <u> </u>		
40. <u> </u>		
41. <u> </u>		
42. <u> </u>		
43. <u> </u>		
44. <u> </u>		
45. <u> </u>		
46. <u> </u>		
47. <u> </u>		
48. <u> </u>		
49. <u> </u>		
50. <u> </u>		
51. <u> </u>		
52. <u> </u>		
53. <u> </u>		
54. <u> </u>		
55. <u> </u>		
56. <u> </u>		
57. <u> </u>		
58. <u> </u>		
59. <u> </u>		
60. <u> </u>		
61. <u> </u>		
62. <u> </u>		
63. <u> </u>		
64. <u> </u>		
65. <u> </u>		
66. <u> </u>		
67. <u> </u>		
68. <u> </u>		
69. <u> </u>		
70. <u> </u>		
71. <u> </u>		
72. <u> </u>		
73. <u> </u>		
74. <u> </u>		
75. <u> </u>		
76. <u> </u>		
77. <u> </u>		
78. <u> </u>		
79. <u> </u>		
80. <u> </u>		
81. <u> </u>		
82. <u> </u>		
83. <u> </u>		
84. <u> </u>		
85. <u> </u>		
86. <u> </u>		
87. <u> </u>		
88. <u> </u>		
89. <u> </u>		
90. <u> </u>		
91. <u> </u>		
92. <u> </u>		
93. <u> </u>		
94. <u> </u>		
95. <u> </u>		
96. <u> </u>		
97. <u> </u>		
98. <u> </u>		
99. <u> </u>		
100. <u> </u>		

ABATED: (6) REPAIRED (7) REMOVED (8) ENCAPSULATED (9) ENCLOSED (10) ISOLATED & RESTRICTED

MISC:		(11) INACCESSIBLE, NO SURVEILLANCE DATA	(12) OTHER (EXPLAIN UNDER COMMENTS)
1			
2			
3			
4			
5			
6			
7			
8			
9			
10			
11			
12			
13			
14			
15			
16			
17			
18			
19			
20			
21			
22			
23			
24			
25			
26			
27			
28			
29			
30			
31			
32			
33			
34			
35			
36			
37			
38			
39			
40			
41			
42			
43			
44			
45			
46			
47			
48			
49			
50			
51			
52			
53			
54			
55			
56			
57			
58			
59			
60			
61			
62			
63			
64			
65			
66			
67			
68			
69			
70			
71			
72			
73			
74			
75			
76			
77			
78			
79			
80			
81			
82			
83			
84			
85			
86			
87			
88			
89			
90			
91			
92			
93			
94			
95			
96			
97			
98			
99			
100			