

Azevedo Construction

P. O. Box 688
Forest Ranch, CA 95942

Phone & Fax (916) 894-2360
Pager (916) 892-3655

OCT. 1, 1999


Thomson & Hendricks
60 Declaration Dr. Suite A
Chico, CA 95972

RE: HVAC Replacement at the Neal Dow Elementary School

To Chico Unified School District,

There was no asbestos used on the this project stated above.

Sincerely,



Azevedo Construction

FROM : RICK CARPENTER ROOFING

FAX NO. : 5308725704

Sep. 21 2007 12:05PM P1

09/21/07 10:44 FAX 530 342 7582

THOMSON & HENDRICKS

002

Thomson & Hendricks, Inc.
Reroof of Building "A" at the Neal Dow Elementary School, #26042

CERTIFICATION OF COMPLIANCE FOR BUILDING MATERIALS

This is to certify, in accordance with the Environmental Protection Agency requirements, that the materials and equipment used in the construction of the: Reroof of Building "A" at the Neal Dow Elementary School for the Chico Unified School District of Butte County, California, are asbestos free and are, therefore, not subject to monitoring for asbestos contamination.

Project Name: Reroof of Building "A" at the
Address: Neal Dow School
1420 Neal Dow Avenue, Chico, CA 95926

Contractor: Rick Carpenter Roofing
Address: 5257 Libby Road
Paradise, CA 95969

Signature: *Rick Carpenter*
Title: Owner

SEPARATE CERTIFICATE IS REQUIRED FOR EACH SITE

Certification of Compliance for Building Materials

Armstrong Floor Products Asbestos Removal Dates

Technical Information \ Miscellaneous \ Armstrong Floor Products Asbestos Removal Dates
Technical Information \ Technical Bulletins \ Armstrong Floor Products Asbestos Removal Dates

Armstrong World Industries, Inc. no longer manufactures resilient floors or adhesives that contain asbestos.

The information provided below represents the last date for each floor product category that Armstrong produced containing asbestos. Please note, these dates reflect Armstrong's last manufacture, not the products' sale or installation.

COMMERCIAL TILE June, 1981

RESIDENTIAL TILE December, 1982

ADHESIVES (S-89 AND S-90) January, 1983

SHEET VINYL April, 1983

Please be advised that there are federal and, in many states, also state and local regulations which you must consult to determine the procedures required to be followed when removing in-place asbestos-containing materials. Most of these regulations focus on friable materials (those which when dry can be crumbled, pulverized or reduced to powder by hand pressure). In our view, resilient floor coverings are nonfriable and not fairly subject to such regulations. You should be aware that some jurisdictions have regulations which do not take into account the nonfriable nature of the removed material. For this reason, and also because the regulations in your state are always subject to change and sometimes varying interpretations, you should contact the governmental agencies within your jurisdiction to determine which, if any, regulations apply to the removal of resilient floor covering, including the use of RFCI (Resilient Floor Covering Institute) Recommended Work Practices for the Removal of Resilient Floor Coverings.

Unless you are absolutely sure that a previously installed, in-place flooring material does not contain asbestos, you should always assume it does contain asbestos. A copy of the Recommended Work Practices is available at <http://rfci.com/> or by calling 301 340-8580.

If you need additional information on Armstrong floors, contact 1 800 233-2283.