



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

1. Date of exposure: 6/24/90
2. Job description: Removal of Non friable Asbestos  
Gutter material  
(Contaminant: \_\_\_\_\_)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
1/2 size Respirators w/ HEPA filters  
Work overalls

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Tina Thomas Anita Thomas	555-06-4214	
2. Jeremy Samuel Jeremy Samuel	555-82-8450	
3. Steve Easter Steve Easter	555-86-9908	
4.		
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

1. Date of exposure: 6/27/90
2. Job description: Removal of Non-Asbestos Roofing PAPER  
(Contaminant: \_\_\_\_\_)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
1/2 face respirator w/ HEPA filter  
Tyvek overalls

5. Employee roster on job:

NAME	SS I	PEL/TWA EXPOSURE
1. STEVE EASTER	<i>[Signature]</i>	555-86-9508
2. MIKE ROCHA	<i>[Signature]</i>	550-71-1649
3. JEREMY SANCHEZ	<i>[Signature]</i>	555-82-8450
4. TIM THOMAS	<i>[Signature]</i>	555-06-4214
5. PAUL RUBIO	<i>[Signature]</i>	571-08-557
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

1. Date of exposure: 6/28/90
2. Job description: REMOVE NON FIBROUS Asbestos  
Reating PAPER  
(Contaminant: \_\_\_\_\_ )
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
1/2 face Respirator w/ HEPA filters  
TYVEK OVERALLS

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Carter	551-86-9908	
2. Mike Rocha	550-71-1649	
3. Jeremy Soudal	555-32-8480	
4. Paul Rubio	<del>555-32-8480</del>	571-08-5517
5. Tina Thomas	555-06-4214	
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_\_ of \_\_\_\_\_

- 1. Date of exposure: 6/29/90
- 2. Job description: Removal of 400 pounds of lead

(Contaminant: \_\_\_\_\_)

- 3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).

- 4. Type of protective devices worn:  
Two size E respirators w/ HEPA filters  
TYVEK OVERALLS

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Entere	<del>Steve</del>	551-869808
2. Mike Raska	<del>Mike</del>	550-711649
3. Jeremy Sowa	<del>Jeremy Sowa</del>	555- <del>8111</del> 825452
4. Tina Thomas	<del>Tina Thomas</del>	555-06-4214
5. Paul Rubin	<del>Paul Rubin</del>	571-08-5517
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

1. Date of exposure: 7/2/90
2. Job description: Removal of non friable A.C.M.  
Roof gutter paper  
(Contaminant: \_\_\_\_\_)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
1/2 FACE respirators w/ HEPA filters  
TYVEK OVERALLS

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Wister	Steve Wister	551-86-9908
2. Mike Rich	Mike Rich	550-71-1649
3. Sammy Savel	Sammy Savel	555-82-8450
4. Paul Rubio	Paul Rubio	571-08-5517
5. Tina Thomas	Uma Thomas	555-06-4214
6. Dave Johnson	Dave Johnson	567-70-7525
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

- 1. Date of exposure: 7/3/90
- 2. Job description: Removal of AC M Non flexible Coating paper  
(Contaminant: \_\_\_\_\_)
- 3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
- 4. Type of protective devices worn:  
Kv face respirators w/ HEPA filters  
TYVEK OVERALLS

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Carter	Steve Carter	551-86-9708
2. Mike Locking	Mike Locking	550-71-1649
3. Jeremy Soward	Jeremy Soward	555-82-8450
4. Paul Rubio	Paul Rubio	571-08-5517
5. TRAA Thomas	Trina Thomas	555-06-4214
6. Dave Johnson	Dave Johnson	567-70-7525
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

1. Date of exposure: 7/4/90
2. Job description: Removal of ACM non friable Roofing Paper  
(Contaminant: \_\_\_\_\_)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
1/2 face respirator w/ HEPA filters  
Tyvek overalls

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Carter	Steve Carter	551-86-9908
2. Mike Rocha	Mike Rocha	550-71-1649
3. Jeremy Soward	Jeremy Soward	555-82-8450
4. Paul Rubio	Paul Rubio	571-08-5517
5. Tina Thomas	Anita Thomas	555-06-4214
6. Dave Johnson	David H. Johnson	567-70-7525
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

1. Date of exposure: 7/5/90
2. Job description: Removal of Non friable Asbestos Roofing Paper  
(Contaminant: \_\_\_\_\_)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
1/2 face Respirators w/ HEPA filters  
Tyvek overalls

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Easter	<u>Steve Easter</u>	551-86-9908
2. Mike Rocha	<u>Mike Rocha</u>	550-71-1649
3. Jeremy Sowell	<u>Jeremy Sowell</u>	555-82-8450
4. Anita Thomas	<u>Anita Thomas</u>	555-06-4244
5. Dave Johnson	<u>Dave R. Johnson</u>	567-70-7525
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		





(916) 343-5488

EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_ of \_\_\_\_

1. Date of exposure: 7/9/90
2. Job description: Removal of non friable Asbestos  
Roofing paper  
(Contaminant: \_\_\_\_\_)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
1/2 face respirators w/ HEPA filters  
TYVEK OVERALLS

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Easter	[Signature]	551-86-5908
2. Mike Racho	[Signature]	550-71-1649
3. Jeremy Sowa	Jeremy Sowa	555-82-8450
4. Anita Thomas	Anita Thomas	555-06-4214
5. Dave Johnson	David R. Johnson	567-70-7525
6. Paul Rubio	Paul Rubino	571-08-5517
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



EXPOSURE MEASUREMENT RECORDKEEPING

- 1. Date of exposure: JULY 10, 1990
- 2. Job description: Gutter Removal - P.U. HIGH School

(Contaminant: Asbestos)

- 3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).

- 4. Type of protective devices worn: 1/2 face Respirator w/ HEPA Cartr - Disposable Canards.

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Mike Rocha		550-71-1649
2. Anita Thomas		555-06-4214
3. Dave Johnson		567-70-7505
4. Paul Rubio		571-08-5517
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



EXPOSURE MEASUREMENT RECORDKEEPING

1. Date of exposure: 7/11/90
2. Job description: Removal of non friable ACM  
Roofing Paper  
(Contaminant: \_\_\_\_\_)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn:  
Per face Respirators w/ HEPA filters  
TYVEK OVERSALLS

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Steve Easter	<i>[Signature]</i>	557-86-9908
2. Mike Rocha	Mike Rocha	550-71-1647
3. SERGEY SOROKIN	Gregory Sorokin	555-82- <del>8150</del>
4. Anita Thomas	Anita Thomas	555-064211
5. Dave Johnson	Dave Johnson	567-70-7525
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



(916) 343-5488


EXPOSURE MEASUREMENT RECORDKEEPING

page \_\_\_\_\_ of \_\_\_\_\_

1. Date of exposure: 7/12/90
2. Job description: Removal of Non-Friable ALBM Refractory PAPER
- (Contaminant: Asbestos)
3. Air sampling and analysis results as recorded on attached pages \_\_\_\_\_ (Air Sample Cassette Record).
4. Type of protective devices worn: 1/2 face Respirator w/ HEPA filters & Disposable Coveralls

5. Employee roster on job:

NAME	SS #	PEL/TWA EXPOSURE
1. Mike Pacha	<del>Mike Pacha</del>	560-71-1649
2. Jeremy Sand	Jeremy Sand	555 82-8450
3. Anita Thomas	Anita Thomas	555-06-4614
4. Dave Johnson	Dave Johnson	907-76-7525
5.		
6.		
7.		
8.		
9.		
10.		
11.		
12.		
13.		
14.		
15.		
16.		
17.		
18.		
19.		
20.		



PRECISION  
MICRO-ANALYSIS

COVID

5685-A Power Inn Road • Sacramento, CA 95824 • (916) 381-0695 • FAX (916) 381-3805

### Air Sample Analysis (PCM) Request Form & Monitoring Log

Company A/c Industrial Cleaning

Contact Person Steve Phone 343-5488

Address 77E 15th St Chico

Job# 3914

City/State/Zip Chico CA 95928

Job Location CUSD P.V.H.S.


Phone 343-5488 Purchase Order No. Steve

Sample Collection Data LAB TURNAROUND: Check One    2hr.    24 hr.    48 hr. Field Personnel: Please complete all non-shaded area on this form

Lab ID #	Sample Number	Location	Activity	Personnel & Social Security#	Respir. Type	Date	Pump On	Pump Off	Total Time	Flow On/Off	Air Vol. (l)	Fibers/CC
	1	310 8th St	310 D DIRT	Name: <u>Timothy Seward</u> SSN: <u>555-90-8450</u>	HF FF SAR PAPP	4/12/00	4:30	90	90	2/2	180	
	2	270 8th St	619 D DIRT	Name: <u>Theresa Thomas</u> SSN: <u>555-90-8450</u>	HF FF SAR PAPP	4/12/00	3:00	4:30	90	2/2	180	
	3	310 8th St	Emoval & Bldg	Name: <u>Mika Pachta</u> SSN: <u>550-71-1649</u>	HF FF SAR PAPP	4/12/00	3:00	3:00	390	2/2	780	
	4	310 8th St	Emoval & Bldg	Name: <u>Sonny Seward</u> SSN: <u>555-90-8450</u>	HF FF SAR PAPP	4/12/00	3:00	3:00	390	2/2	780	
				Name: _____ SSN: _____	HF FF SAR PAPP							
				Name: _____ SSN: _____	HF FF SAR PAPP							
				Name: _____ SSN: _____	HF FF SAR PAPP							
				Name: _____ SSN: _____	HF FF SAR PAPP							
				Name: _____ SSN: _____	HF FF SAR PAPP							
				Name: _____ SSN: _____	HF FF SAR PAPP							
				Name: _____ SSN: _____	HF FF SAR PAPP							

Please check if you would like the personal samples to be included in an 8-Hour Time-Weighted Average Report

Retain White Original • Send Yellow Copy to LAB with Samples



# PRECISION MICRO-ANALYSIS

SPECIALISTS IN ASBESTOS-RELATED ANALYSIS

### Air Sample Analysis (PCM) Report for:

Steve Easter  
A/C Industrial Cleaning  
117 East 15th Street  
Chico, CA 95928

Phone: (916) 343-5488

Report # 90179004

Date Received: 06/28/90

Date Analyzed: 06/28/90

Job: #3914

Chico Unified School District  
P.U.H.S.

Sample Number	Lab #	Sample Location / Personnel	Date	Air Vol.	F/CC	U.C.L.	L.O.D.
1	90-33145	Personal: Jeremy Sowel Bldg. D-East, Set-up & Rem.	06/26/90	180	0.010*	0.020	0.015
2	90-33146	Personal: Tina Thomas Bldg. D-East, Set-up & Rem.	06/26/90	180	0.013*	0.028	0.015
3	90-33147	Personal: Mike Rocha Bldg. D-East & South, Rem. & Bag	06/27/90	780	0.022	0.040	0.003
4	90-33148	Personal: Jeremy Sowel Bldg. D-East & South, Rem. & Bag	06/27/90	780	0.002*	0.005	0.003

Total Number of Samples: 4

Supervisor \_\_\_\_\_


Page 1

Analyst *Monica Valenzuela*

\* This sample was below the limit of detection ( 7 fibers per square millimeter of filter ) for the NIOSH 7400 method.

Note: The test result findings of this report are made to the methodologies and parameters described on the reverse side of this page

5685-A Power Inn Road • Sacramento, CA 95824 • (916) 381-0695 • FAX (916) 381-3805



**PRECISION  
MICRO-ANALYSIS**

SPECIALISTS IN ASBESTOS-RELATED ANALYSIS

*Bulk Sample Analysis (PLM) Report for:*

Richard Beall  
Hazard Management Services, Inc.  
P.O. Box 7548  
Citrus Heights, CA 95621

Phone:(916)723-6917

**Report # 90180002**

Date Collected:06/27/90

Date Received:06/29/90

Date Analyzed:06/29/90

Job: Pleasant Valley Sr. High  
Chico Unified School District

Sample Number	Sample Location	Sample Description	Analytical Results
HMS-CH-Pv-1 00	Wing D	Black roofing tar paper	No asbestos detected 75-80% Cellulose fibers
Lab #90-33198			

Total Number of Samples: 1

Page 1

Supervisor \_\_\_\_\_

Analyst \_\_\_\_\_

Note: The test result findings of this report are made to the methodologies and parameters described on the reverse side of this page



# PRECISION MICRO-ANALYSIS

SPECIALISTS IN ASBESTOS-RELATED ANALYSIS

### Air Sample Analysis (PCM) Report for:

Report # 90184004

Richard Beall/Brian Hobbs  
Hazard Management Services, Inc.  
P.O. Box 7548  
Citrus Heights, CA 95621

Date Received 07/03/90  
Date Analyzed 07/03/90

Job: Pleasant Valley Sr. High  
Chico Unified School Dist.

Phone: (916) 723-4350

Sample Number	Lab #	Sample Location / Personnel	Date	Fibers	Fields	Liters	F/CC	L.O.D.	U.C.L.
HMS-CH-Pv-04	90-33500	Area: East side "D"	06/27/90	5.0	102	606	0.004*	0.004	0.008
HMS-CH-Pv-05	90-33501	Area: Northside "D"	06/27/90	1.5	100	850	0.001*	0.003	0.002
HMS-CH-Pv-06	90-33502	Area: Northside "D"	06/27/90	14.5	102	1790	0.004	0.002	0.008
HMS-CH-Pv-07	90-33503	Area: West side "D" Under abatement area	06/28/90	18.0	102	2623	0.003	0.001	0.006
HMS-CH-Pv-08	90-33504	Area: West side "D" Under abatement area	06/28/90	8.0	100	1329	0.003	0.002	0.006
HMS-CH-Pv-09	90-33505	Area: North side "D"	06/29/90	12.5	100	1795	0.003	0.002	0.007
HMS-CH-Pv-10	90-33506	Area: Under work area North side	06/29/90	4.0	100	553	0.004*	0.005	0.007
HMS-CH-Pv-11	90-33507	Area: North side "D"	06/29/90	11.5	105	1749	0.003	0.002	0.006

Total Number of Samples: 8

Supervisor A. Magian

Analyst Merisa Valparadi


Page 1

\* This sample was below the limit of detection ( 7 fibers per square millimeter of filter ) for the NIOSH 7400 method.

Note: The test result findings of this report are made to the methodologies and parameters described on the reverse side of this page

5685-A Power Inn Road • Sacramento, CA 95824 • (916) 381-0695 • FAX (916) 381-3805





**PRECISION  
MICRO-ANALYSIS**

SPECIALISTS IN ASBESTOS-RELATED ANALYSIS

**Air Sample Analysis (PCM) Report for:**

**Report # 90180005**

Richard Beall/Brian Hobbs  
Hazard Management Services, Inc.  
P.O. Box 7548  
Citrus Heights, CA 95621

Date Received 06/29/90  
Date Analyzed 06/29/90

Job: Pleasant Valley Sr. High  
Chico Unified School District

Phone: (916) 723-4350

Sample Number	Lab #	Sample Location / Personnel	Date	Fibers	Fields	Liters	F/CC	L.O.D.	U.C.L.
HMS-CH-Pv-01	90-33195	Area: Pre-sample NW side, roofs C/D intersection	06/26/90	23.0	103	1800	0.006	0.001	0.011
HMS-CH-Pv-02	90-33196	Area: Westside D	06/26/90	3.5	101	891	0.002*	0.003	0.004
HMS-CH-Pv-03	90-33197	Area: Northside D	06/26/90	4.0	100	758	0.003*	0.004	0.005

Total Number of Samples: 3


Supervisor 

Analyst 

Page 1

\* This sample was below the limit of detection ( 7 fibers per square millimeter of filter ) for the NIOSH 7400 method.

Note: The test result findings of this report are made to the methodologies and parameters described on the reverse side of this page



**PRECISION  
MICRO-ANALYSIS**

COVID

5685-A Power Inn Road • Sacramento, CA 95824 • (916) 381-0695 • FAX (916) 381-3805

**Air Sample Analysis (PCM) Request Form & Monitoring Log**

Company AKC Industrial Cleaning Co Contact Person Steve Phone 343-5488

Address 177 E 15th St Job# 3714

City/State/Zip Chico CA 95928 Job Location CUSD P.U.H.

Phone 343-5488 Purchase Order No. Steve

Sample Collection Data LAB TURNAROUND: Check One 24 hr. 48 hr. Field Personnel: Please complete all non-shaded area on this form

Lab ID #	Sample Number	Location	Activity	Personnel & Social Security#	Respir. Type	Date	Pump On	Pump Off	Total Time	Flow On/Off	Air Vol. (l)	Fibers/CC
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	West Bldg Pump ID# 290	Removal & Bagging <input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: <u>Royal Rubio</u> SSN: <u>571-08-557</u>	HF FF SAR PAPR	<u>6/28</u>	<u>8:30</u>	<u>5:00</u>	<u>3:30</u>	<u>2/2</u>	<u>780</u>	
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	West End Bldg Pump ID# 310	Removal & Bagging <input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: <u>Linda Thomas</u> SSN: <u>555-06-4214</u>	HF FF SAR PAPR	<u>6/28</u>	<u>8:30</u>	<u>3:00</u>	<u>3:30</u>	<u>2/2</u>	<u>780</u>	
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	NORTH End Bldg Pump ID# 210	Removal & Bagging <input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: <u>Gregory Sewell</u> SSN: <u>555-82-8450</u>	HF FF SAR PAPR	<u>6/29</u>	<u>8:00</u>	<u>3:00</u>	<u>4:20</u>	<u>2/2</u>	<u>840</u>	
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	NORTH End Bldg Pump ID# 310	Removal & Bagging <input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: <u>Linda Thomas</u> SSN: <u>555-06-4214</u>	HF FF SAR PAPR	<u>6/29</u>	<u>8:00</u>	<u>3:00</u>	<u>4:20</u>	<u>2/2</u>	<u>840</u>	
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	819 CUBA Pump ID# 310	Removal & Bagging <input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: _____ SSN: _____	HF FF SAR PAPR	<u>7/2</u>						
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	819 CUBA Pump ID# 310	Removal & Bagging <input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: <u>Stephany Soud</u> SSN: <u>555-88-8888</u>	HF FF SAR PAPR	<u>7/2</u>	<u>8:30</u>	<u>4:30</u>	<u>4:00</u>		<u>960</u>	
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	819 CUBA Pump ID# 290	Removal & Bagging <input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: <u>David Johnson</u> SSN: _____	HF FF SAR PAPR	<u>7/2</u>	<u>8:30</u>	<u>4:30</u>	<u>4:00</u>		<u>960</u>	
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	PUMP ID#:	<input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: _____ SSN: _____	HF FF SAR PAPR							
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	PUMP ID#:	<input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: _____ SSN: _____	HF FF SAR PAPR							
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	PUMP ID#:	<input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: _____ SSN: _____	HF FF SAR PAPR							
	<input type="checkbox"/> Area <input checked="" type="checkbox"/> Personal	PUMP ID#:	<input type="checkbox"/> IOWA <input type="checkbox"/> TWA <input type="checkbox"/> OBZ	Name: _____ SSN: _____	HF FF SAR PAPR							

Please check if you would like the personal samples to be included in an 8-Hour Time-Weighted Average Report  
Special Instructions/Comments