

HO, PKVW, CITRUS SHASTA

9/24/97

Thomson & Hendricks Architects 60 Declaration Drive, Suite A Chico, CA 95973

Attn: Alan Chambers

Re: Sitework for the 1997 Relocatable Classrooms

for the Chico Unified School District Project No. 9711 - 9716 & 9721

Alan,

No materials containing asbestos were included in the work for the above referenced project.

Sincerely.

Seward L. Schreder

CC: DCC

CERTIFICATION OF COMPLIANCE FOR BUILDING MATERIALS

This is to cert	ify, in accordance with the Environmental Protection Agency
requirements, that	t the materials and equipment used in the construction of the: Hooker
Oak Relocato	able Classroom for the Chico Unified school
District of Butte	County, California, are asbestos free and are, therefore, not
subject to monitoring for asbestos contamination.	
Project Name:	Hooker Oak Relocatable Classroom
Address:	1238 Arbutus Ave
	Chico, rA 95926
Contractor:	United Building Contractors, Inc.
Address:	275 Fairchild Ave, Suite 106
	Chico, CA AS973
Signature:	
Title:	Jim Gilmore, President

SEPARATE CERTIFICATE IS REQUIRED FOR EACH SITE

Certification of Compliance for Building Materials

Azevedo Construction

48 Bellarmine Ct. Suite 40 Chico, CA 95928 Phone 530-894-2360 Fax 530-894-0699 Lic. # 614121



October 6, 2006

Chico Unified School District 2455 Carmichael Dr. Chico, CA 95928

To whom it my concern:

RE: Site work, Relocation and installation of the relocatable classroom buildings at the Hooker Oak & Shasta Elem. Schools

There was no material with asbestos used on this project.

Thank you,

Kim Azevedo

Page 1 of 1

Armstrong Floor Products Asbestos Removal Dates

Technical Information \ Miscellaneous\Armstrong Floor Products Asbestos Removal Dates
Technical Information \ Technical Bullctins\Armstrong Floor Products Asbestos Removal Dates

Armstrong World Industries, Inc. no longer manufacturers resilient floors or adhesives that contain asbestos.

The information provided below represents the last date for each floor product category that Armstrong produced containing asbestos. Please note, these dates reflect Armstrong's last manufacture, not the products' sale or installation.

COMMERCIAL TILE June, 1981

RESIDENTIAL TILE December, 1982

ADHESIVES (S-89 AND S-90) January, 1983

SHEET VINYL April, 1983

Please be advised that there are federal and, in many states, also state and local regulations which you must consult to determine the procedures required to be followed when removing in-place asbestos-containing materials. Most of these regulations focus on friable materials (those which when dry can be crumbled, pulverized or reduced to powder by hand pressure). In our view, resilient floor coverings are nonfriable and not fairly subject to such regulations. You should be aware that some jurisdictions have regulations which do not take into account the nonfriable nature of the removed material. For this reason, and also because the regulations in your state are always subject to change and sometimes varying interpretations, you should contact the governmental agencies within your jurisdiction to determine which, if any, regulations apply to the removal of resilient floor covering, including the use of RFCI (Resilient Floor Covering Institute) Recommended Work Practices for the Removal of Resilient Floor Coverings.

Unless you are <u>absolutely sure</u> that a previously installed, in-place flooring material does not contain asbestos, you should always assume it does contain asbestos. A copy of the <u>Recommended Work Practices</u> is available at http://rfci.com/ or by calling 301 340-8580.

If you need additional information on Armstrong floors, contact 1 800 233-2283.