

RFP 20-110

CATEGORY 2 CABLING INFRASTRUCTURE

E-Rate Year 23 (2020-2021)

PROPOSAL DUE DATE

RFPs must be submitted by January 21, 2020

SUBMIT RESPONSE TO

CHICO UNIFIED SCHOOL DISTRICT
Information Services Department
ATTN: John Vincent, Director of Technology
1163 East 7th Street
Chico, CA 95928
Phone: (530) 891-3000 x20410

Contents

Notice to Responders	3
Questions	3
Due Date	3
Purpose	4
RFP Schedule	5
About the District	5
Scope of Work	5
Requirements for Cabling Infrastructures	6
Responder Service Provider Information	6
Responder Service Provider Requirements	6
Responder Service Provider Acknowledgements	8
Proposal Format	10
Selection	11
Evaluation Panel	11
Evaluation Criteria	11
Contract	12
Contract Type Error! Bo	ookmark not defined.
Contract Format	12
Terms and Conditions	12
List of Sites	18
Cost Proposal	19
RFP Form	32
Letter of Agreement	33
Fingerprint Certification	34
Statement of Non-Conflict of Interest	35
Insurance Acknowledgement	36

Notice to Responders

NOTICE IS HEREBY GIVEN that Chico Unified School District, acting by and through its Board of Education, hereinafter referred to as "the District" will receive up to, but no later January 21, 2020 at 3:00 p.m. sealed RFPs from qualified Responders for the award of contracts for the following:

RFP 20-110

Cabling Infrastructure E-rate

Walk through

There will be a walk-through of the school sites on January 2, 2020. The walk-through will start promptly at 9:00 a.m. Please meet at the Chico High School office. Located at 901 Esplanade, Chico, CA. 95926

Questions

All questions regarding this RFP are due on or before January 9, 2020 at 4:00 p.m. via email to: cusderate@chicousd.org with the subject line of "RFP 20-110 questions". Only questions submitted through this process will be accepted. All responses to questions regarding this RFP will be posted on our website January 14, 2020 at or before 4:00 p.m. It is the responsibility of the prospective Responder to check the website http://www.chicousd.org/erate for updates or addenda.

Due Date

RFPs are due at the Information Services Department for time and date stamping at or before 3:00 p.m., January 21, 2020. One original proposal, two copies, and one digital copy (PDF format: flash drive preferred) of the RFP must be submitted in a sealed envelope, clearly marked RFP 20-110 to Chico Unified School District, Information Services Department, 1163 E. 7th. Street, Chico, CA 95928. Please allow at least 2 days for delivery of USPS Priority and Express Mail. All RFPs must be received, and time/date stamped in the Information Services Department by the above due date and time. Sole responsibility rests with the Responder to see that their RFPs are received on time at the stated location. Any RFPs received after due date and time will be returned unopened to the Responder. No exceptions will be allowed. Faxed or emailed RFPs will not be accepted.

All Responders must conform and be responsive to this RFP, and all other documents comprising of the documents must be enclosed.

The RFP will be posted to the District website under http://www.chicousd.org/erate. Any additions or corrections will be addressed in the form of addenda posted to the same location on the website.

The District reserves the right to reject any and all RFPs for any reason whatsoever. The District may waive informalities or irregularities in RFPs received where such is merely a matter of form and not substance, and the correction or waiver of which is not prejudicial to other RFPs. The issuance of this RFP and receipt of responses does not commit the District to award a contract. The District expressly reserves the right to postpone response opening for its own convenience, to accept or reject any or all responses (in whole or portions) received to this RFP, to negotiate with more than one Responder concurrently, or to cancel all or part of this RFP. Decisions to award contract(s) as a result of this RFP are final and without appeal.

Chico Unified School District reserves the right, in its sole discretion, to determine the criteria and process whereby RFPs are evaluated and awarded.

The following documentation is required in the RFP Submittal:

- 1. Address all items in the RFP Scope of Work
- 2. Address all items in the RFP Proposal Format
- 3. Signed copies of addendums if applicable
- 4. Cost Proposal
- 5. Completed and signed Submittal pages

Purpose

The Chico Unified School District is soliciting quotes for cabling infrastructure at the following sites: Chico High School and Pleasant Valley High School. The projects consist of Cabling the Schools to CAT6 specification (or equivalent) and supplying all additional equipment for a complete project for the above sites. The District is requiring that the entire project be completed by September 30, 2021. To ensure we meet that deadline we have requested two separate bid packages. The project will be awarded to one or more vendors.

Please see Appendix A for list of school sites.

Please see Appendix B for scope of work and school diagrams

The District reserves the right to retain all of the RFPs and to use any ideas in a RFP regardless of whether the proposal is selected. Submission of a proposal indicates acceptance by the Responder of the conditions contained in this request for RFPs, unless clearly stated and specifically noted in the proposal submitted and in the contract

RFP 20-110 Cabling Project Information Services Department

December 20, 2019

between the District and the Responder selected.

Proposals may be withdrawn by the proposer prior to the time fixed for the opening of RFPs, but may not be withdrawn for a period of thirty (30) days after the date set for submittal of proposals. The successful proposer(s) shall not be relieved of the proposal submitted without the District's consent or proposer's recourse to Public Contract Code Sections 5100, et seq.

Compliance with Laws

The successful firm(s) shall comply with all applicable federal, state, and local statutes, rules, regulations and codes.

RFP Schedule

December 20, 2019	RFP Released - Posted
January 2, 2020	Walk through of school sites
January 9, 2020	Question Deadline
January 14, 2020	Questions Responses Posted
January 21, 2020	RFP Closing - RFP Due
RFP/Bid opening	Date of Closing
RFP/Bid Selection	Before 471 filing date (approximately March 20, 2020)
Purchase Orders	Contingent on E-RATE Award and District approval

The walk-through of the school sites on January 2, 2020. The walk-through will start promptly at 9:00 a.m. Please meet at the Chico High School Office. Located at 901 Esplanade, Chico, CA. 92926

About the District

The District is located in Butte County, the City of Chico. The District operates fourteen elementary schools, three middle schools, three high schools, 2 alternative schools and several other District facilities. The District serves approximately 12,000 K-12 students. More information about the District and its facilities can be found on the District's website at www.chicousd.org.

Scope of Work

The Chico Unified School District is soliciting quotes for cabling infrastructure at the following sites: Chico High School and Pleasant Valley High School. The projects consist of Cabling the Schools to CAT6 specification (or equivalent) and supplying all other needed materials for a complete project. Such as but not limited to: jacks, faceplates, modular patch panels, patch cords and J-hook supports. The District is requiring that the entire

project be completed by September 30, 2021. The vendors are encouraged to attend the scheduled walk- through to see specific cabling areas.

Please see Appendix A for list of school sites.

Please see Appendix B for scope of work and school diagrams

Requirements for Cabling Infrastructures

This section defines specifications for Cabling Infrastructures for the Chico Unified School District. A list of school sites is attached.

- 1. All plans proposed should include detailed billing.
- Prices to remain firm through SLD approval, execution, and duration of the
 proposed contract. In the event of a price decrease for service or from the
 manufacturer, said decrease shall be passed on to the Chico Unified School District
 and documented with new price sheet sent to the District Office.
- 3. All equipment/services costs must be new and included and identified separately.
- 4. Manufacturer must warrant all parts and equipment.
- 5. Vendor must be a certified reseller of parts and equipment.
- 6. Vendor must maintain an office within 90 miles of the Chico Unified School District office.

Responder Service Provider Information

- 1. Length of time business has provided this type of service.
- 2. Responder Service Level Agreement (SLA) for your proposal.
- 3. Indicate any options available.
- 4. Please show applicable discounts separately, if applicable.
- 5. An implementation timeline proposal starting July 1, 2020.
- 6. Indicate how charges will be incurred as services are implemented.
- 7. Responders must include 3 reference sites using your service 3 years or more. References from a School, Library or a County Office of Education in California are preferred.
 - Job Location
 - Contact name and telephone number
 - Date of contract
 - Project Description
 - Equipment/Service Installed

Responder Service Provider Requirements

The Responder must meet or exceed minimum qualification requirements.

- 1. Service Providers are required to be in full compliance with all current requirements and future requirements issued by the SLD throughout the contractual period of any contract entered into as a result of this RFP.
- Service Providers are responsible for providing a valid SPIN (Service Provider Identification Number). More information about obtaining a SPIN may be found at this website: http://www.usac.org/sl/service-providers/step01/default.aspx
- 3. Service Providers are responsible for providing a valid Federal Communications Commission (FCC) Registration Number (FRN) at the time the bid is submitted. More information about obtaining an FRN may be found at this website: https://apps.fcc.gov/coresWeb/publicHome.do
- 4. Service Providers are responsible for providing evidence of FCC Green Light Status at the time the bid is submitted. Any potential bidder found to be in Red Light Status will be disqualified from participation in the bidding process and will be considered non-responsive. More information about FCC Red and Green Light Status may be found at this website: http://www.fcc.gov/debt collection/welcome.html
- 5. Products and services must be delivered before billing can commence. At no time may the Service Provider invoice before July 1, of the funding year.
- 6. Goods and services provided shall be clearly designated as "E-rate Eligible". Non-eligible goods and services shall be clearly called out as 100% non-eligible or shall be "cost allocated" to show the percentage of eligible costs per SLD guidelines.
- 7. Within one (1) week of award, the awarded Service Provider must provide the District a bill of materials using a completed USAC "Item 21 Template". Subsequent schedules of values and invoices for each site must match Item 21 Attachment or subsequent service substitutions. A summary sheet must also be provided to provide the cumulative amount for all sites.
- 8. In the event of questions during an E-rate pre-commitment review, post-commitment review and/or audit inquiry, the awarded Service Provider is expected to reply within 3 days to questions associated with its proposal.
- Services providers must comply with the FCC rules for Lowest Corresponding Price ("LCP"). Further details on LCP may be obtained at USAC's website: https://usac.org/sl/service-providers/step02/lowestcorresponding-price.aspx

Responder Service Provider Acknowledgements

- The Service Provider acknowledges that no change in the products and/or services specified in this document will be allowed without prior written approval from the district and a USAC service substitution approval with the exception of a Global Service Substitution.
- 2. The Service Provider acknowledges that its offer is considered to be the lowest corresponding price pursuant to § 54.511(b). Should it not be the lowest corresponding price, the service provider must disclose the conditions leading to the applicant being charged in excess of lowest corresponding price.
- 3. This offer is in full compliance with USAC's Free Services Advisory http://usac.org/sl/applicants/step01/free-services-advisory.aspx. There are no free services offered that would predicate an artificial discount and preclude the applicant from paying its proportionate non-discounted share of costs. The service provider agrees to provide substantiating documentation to support this assertion should the applicant, USAC, or the FCC request it.
- 4. Starting Services/Advance Installation: The annual E-rate Funding Year begins on July 1 and expires on June 30 of each calendar year. Regardless of the contract "effective date", E-rate eligible goods and/or services requested in this RFP shall be delivered no earlier than the start of the 2020 funding year (July 1, 2020). If Category 1 services (Telecommunication Services and Internet access) will begin on or shortly after July 1 of a funding year, the service provider, in some cases, may need to undertake some construction and installation work prior to the beginning of that funding year. Within the limitations indicated below, the infrastructure costs of a service provider can be deemed to be delivered at the same time that the associated Category 1 services begin. That is, if services begin on July 1, then the delivery of service provider infrastructure necessary for those services can be considered as also delivered on July 1.
- 5. Early Funding Conditions:
 - Category 1
 There are four conditions that must be met in order for USAC to provide support in a funding year for Category 1 infrastructure costs incurred prior to that funding year.
 - Initiation of installation cannot take place before selection of the service provider pursuant to a posted Form 470 and in any event no earlier than six months prior to July 1 of the funding year.
 - The Category 1 service must depend on the installation of the infrastructure.

- The underlying Category 1 service cannot have a service start date prior to July 1 of the funding year.
- No invoices can be submitted to USAC for reimbursement prior to July 1 of the funding year.

For more information, please refer to the FCC Order involving the Nassau County Board of Cooperative Educational Services (DA 02-3365, released December 6, 2002). This FCC decision only applies to Priority 1 services (Telecommunications Services and Internet access).

The complete text can be found at the following URL: http://www.usac.org/sl/applicants/step05/installation.aspx

Category 2

There is one condition that allows USAC to provide support in a funding year for Category 2 installation costs incurred prior to that funding year. We also amend our rules for category two non-recurring services to permit applicants to seek support for category two eligible services purchased on or after April 1, three months prior to the start of funding year on July 1. This will provide schools with the flexibility to purchase equipment in preparation for the summer recess and provide the maximum amount of time during the summer to install these critical networks.

For more information, please refer to the FCC Report and Order and Further Notice of Proposed Rulemaking (FCC 14-99 , released July 23, 2014). This FCC decision only applies to Category 2 services (Internal Connections).

6. Invoicing

The Service Provider agrees to bill and receive a portion of the payment for the provisions of goods and services described herein directly from USAC via the Form 474 Service Provider Invoice (SPI). The District will only be responsible for paying its non-discounted share of costs and does not intend to use the BEAR process (Form 472). The maximum percentage the District will be liable for is the pre-discount amount minus the funded amount as shown on the FCC Form 471 Block 5 and any identified ineligible costs. Upon the successful receipt or posting of a Funding Commitment Decision Letter from the SLD and submission and certification of Form 486, the District shall pay only the discounted amount beginning with the billing cycle immediately following said approval. Alternatively, should the District decide that it is in the best interest of the District to file a Form 472, the District will inform the Service Provider of its intent.

All Service Provider invoicing to USAC must be completed within 120 days from the last day of service. Should the Service Provider fail to invoice USAC in a timely manner, the District will only be responsible for paying its non-discounted share.

Additionally if the service qualifies for California Teleconnect Funds then the service provider will invoice the California PUC.

7. FCC/SLD Auditability

- The E-rate program requires that all records be retained for at least ten (10) years from the last date of service provided on a particular funding request. Respondent hereby agrees to retain all books, records, and other documents relative to any Agreement resulting from this RFP for ten (10) years after final payment. The District, its authorized agents, and/or auditors reserves the right to perform or have performed an audit of the records of the Respondent and therefore shall have full access to and the right to examine any of said materials within a reasonable period of time during said period.
- 8. Procurement of Additional Goods and/or Services/Coterminous Expiration
 During the term of any Agreement resulting from this RFP, the District may elect
 to procure additional or like goods and/or services offered by the Respondent.
 Such services shall be negotiated and obtained via an official amendment to this
 Agreement and approval by the District's Governing Board. All terms,
 conditions, warranties, obligations, maintenance and support of said goods or
 services shall have a coterminous expiration date with the original date of this
 Agreement. The District shall not enter into a separate Agreement for said
 goods or services. Respondents must state in their proposal that they
 acknowledge, accept and are in agreement with coterminous expiration
 conditions.

Proposal Format

Each proposal shall be submitted on forms supplied by District. Each proposal shall conform and be responsive to District specification. Responder shall furnish complete specifications and rates for all services requested. Additional pricing schedules detailing items listed on the proposal shall be attached to the proposal form.

All submitted proposals must provide at a minimum, all requested information in the proposal document. Any portion not included will be cause for elimination from the quote process. The information should be organized as indicated in the proposal requirements. The District reserves the right to eliminate from further consideration any response, which is deemed to be substantially or materially unresponsive to the RFP.

All information submitted is to be considered public knowledge and will be subject to The Public Records Act or any other applicable laws.

Proposals shall include the following as a minimum:

- 1. Responder Service Provider Information
- 2. Letter of Agreement
- 3. Cost Proposals
- 4. Addendums
- 5. Completed and signed Submittal pages

Each response will be reviewed prior to the selection process for completeness and adherence to format. A response will be considered complete if all requested sections are included in the proper order and properly completed. Responders may also provide any and all recommendations for consideration such as installation, maintenance, support and design that is relevant to the total solution of the District's technology needs.

Selection

Upon receipt of proposals, the District's staff will review each Responder's response to the RFP.

Evaluation Panel

Our evaluation team will include a comprehensive group of experts with knowledge of the scope of services requested.

Evaluation Criteria

The Chico Unified School District reserves the right to select the firm that best meets the needs of the District, based on the criteria set forth herein. The District reserves the right to waive minor irregularities in the RFP and in the proposals submitted in response to the RFP.

Each response will be reviewed prior to the selection process for completeness and adherence to format. A response will be considered complete if all requested sections are included in the proper order and properly completed. Responders may also provide any and all recommendations for consideration such as installation, maintenance, support and design that is relevant to the total solution of the District's technology needs.

Proposals will be evaluated on the following:

- Responder cost, including unit prices, labor rates, travel/trip charges, etc.
- Extent of experience with the district
- Company size and stability
- Technology solution and ability of service provider to meet established SLA to existing customer
- Quote preparation, thoroughness, and responsiveness to the RFP requirement

The successful responder will be chosen based upon best value. The district reserves the right to reject any or all bids.

Contract

The contract awarded as a result of this solicitation shall be a fixed price contract for which the offered price will include all labor, material, equipment, services, software, hardware, travel, shipping, and price administrative cost, associated with providing the products and services listed herein and offered by proposer.

Contract Type

Depending on the dollar amount if the award(s), the contract(s) resulting from this RFP may be required to be approved by the District's Governing Board. No minimum amount of work is guaranteed.

Contract Format

It is mutually agreed by and between District and Responder that the District's acceptance of Responder's proposal, upon approval by the Governing Board, shall create a contract between the parties thereto. District and Responder with whom District chooses to contract if any, shall execute a Contract Signature page based on the RFP, the response and the attached Letter of Agreement. The Contract will, by default, incorporate all requirements, terms and conditions contained in the RFP. In the event of any conflict between this RFP and the Contract Signature Page, the terms of the RFP will take precedence, unless otherwise specifically stated in a written amendment. District will not enter into any separate Contract of Agreement with Responder except as specifically stated herein.

Terms and Conditions

Compliance with Laws

This contract shall be in accordance with the laws in the State of California. All RFPs shall comply with the current federal, state, local and other laws relative thereto.

Insurance Requirements & Indemnity

Contractor shall be an independent contractor and not an agent or employee of District under this Agreement. Contractor shall be responsible for any damage, loss, or other claim arising out of the performance of its services under this Agreement.

Prior to commencement of services and during the life of this Agreement, Contractor shall provide the District with a current certificate or policy evidencing its professional general liability insurance coverage in a sum not less than \$1,000,000 per occurrence, and such certificate or policy shall name the District as an additional insured.

To the fullest extent allowed by law, Contractor shall defend, indemnify, and hold harmless District, its directors, officers, agents, employees, and guests against any claim or demand arising from any actual or alleged act, error, or omission by Contractor or its directors, officers,

agents, employees, volunteers, or guests arising from Contractor's duties and obligations described in this Agreement or imposed by law.

To the fullest extent allowed by law, District shall defend, indemnify, and hold harmless Contractor, its directors, officers, agents, employees, and guests against any claim or demand arising from any actual or alleged act, error, or omission by District or its directors, officers, agents, employees, volunteers, or guests arising from District's duties and obligations described in this Agreement or imposed by law. Contractor is not an employee of the District and District shall not indemnify Contractor in any such claim.

Contractor shall be responsible for carrying its own workers' compensation insurance and health and welfare insurance. District shall not withhold or set aside income tax, Federal Insurance Contributions Act (FICA) tax, unemployment insurance, disability insurance, or any other federal or state funds whatsoever. It shall be the sole responsibility of the Contractor to account for all of the above and Contractor agrees to hold District harmless from all liability for these taxes.

Fingerprinting

Education Code section 45125.1 applies to this Agreement. Responder will certify that, pursuant to Education Code Section 45125.1, Responder will have conducted the required criminal background check of all its employees who may have contact with District pupils or unsupervised access to any District campus and shall certify that none of those employees have been reported by the Department of Justice as having been convicted of a serious or violent felony as specified in Penal Code sections 667.5(c) and/or 1192.7(c). Upon verification from the DOJ that those persons fingerprinted have no record of a serious or violent felony, the Responder will so certify by signing and submitting to the Governing Board of District the certification form attached.

Failure to comply with these terms, or permitting unsupervised access by an employee whose name has not been cleared by the DOJ as certified by the Responder shall constitute grounds for termination of this Agreement.

Attorney Fees

In the event a suit or action is instituted in connection with any controversy arising out of this contract, the prevailing party shall be entitled to receive, in addition to its costs, such sum as the court may adjudge reasonable as to attorney's fees and costs.

Governing Law and Venue

In the event of litigation, the RFP documents and related matters shall be governed by and construed in accordance with the laws of the State of California. Venue shall be with the appropriate state or federal court located in Sacramento County.

RFP Acceptance or Rejection

This RFP does not commit the District to award a contract, to pay any cost incurred in the preparation of this RFP or to procure contract for services or supplies. The District reserves the right to accept or reject any or all RFPs received in response to this request, to negotiate terms that will be in the best interest of the District, or cancel in whole or in part this RFP. All submitted RFPs and information included therein shall become public records upon delivery to the District. All firms submitting a RFP should note that the execution of any contract would be contingent upon governing Board Approval.

Term/Extension

Pursuant to Education Code, Sections 17596 and 81644, it is the intent of the District to award a single term contract for the specified service. If this is a multi-term contract and assuming funds are appropriated to support continuation of services for succeeding fiscal periods, the original contract may be renewed annually for a total time of contract not to exceed five (5) consecutive fiscal years.

Board Contact

No business entity, including any agent of such entity, shall directly or indirectly contact any Board member immediately before or during the RFP process of any project on which the business entity intends to or has submitted a RFP. Any Responder violating this policy shall be deemed disqualified from the RFP process. Should such contact come to light after the RFP is awarded and the entity was deemed the successful Responder, the Board reserves the right to cancel any contract awarded, in which case, the Responder shall be liable for any damage incurred by the District. The Board shall exercise its best judgment for the benefit of the District in making a decision whether to proceed or not, depending on all of the facts and circumstances.

Termination of Contracts/Purchase Orders

The District reserves the right to terminate all purchase orders or contracts with due cause by giving a ten (10) calendar day written notice or may terminate without cause by giving a thirty (30) calendar day written notice. Due cause for termination of contract shall include , but not be limited to, failure to provide services required within a reasonable time period, and/or for reasons of unsatisfactory service. Purchase orders or contracts which extend into a subsequent fiscal year will automatically terminate if the District does not appropriate funds for the goods and/or services under the purchase order or contract.

Patents, Etc.

The Responder shall hold the District, its officers, agents, servants, and employees harmless and free from liability of any nature or kind on account of use (by publisher, manufacturer, or author) of any copyrighted or non-copyrighted composition, secret process, patented invention, article or appliance furnished or used under this RFP.

Failure to Fulfill Contract

When any Responder shall fail to deliver any article or service or shall deliver any article or service which does not conform to the specifications, the District may, at its sole discretion,

annul and set aside the contract entered into with said Responder, either in whole or in part, and make and enter into a new contract for the same items in such manner as seems to the Board of Education to be to the best advantage of the District. Any failure for furnishing such articles or services by reason of the failure of the Responder, as above stated, shall be a liability against such Responder and his sureties. The Board of Education reserves the right to cancel any articles or services which the successful Responder may be unable to furnish because of economic conditions, governmental regulations or other similar causes beyond the control of the Responder provided satisfactory proof is furnished to the Board or Education, if requested.

Contract Exclusive

The provisions of the contract shall in no way prohibit the District from making purchases from another supplier for the same services as herein listed.

Proprietary Information

There can be no portions of the submitted quote to be treated as proprietary and confidential information even if they are marked as such. Due to the California Public Records Act all information submitted is to be considered open for public review.

Conflict of Interest

The successful Responder shall affirm that, to the best of its knowledge, there exists no actual or potential conflict between family, business, or financial interest of the Responder and services under this Agreement. The successful Responder agrees to advise Owner of any actual or potential conflicts of interest that may develop subsequent to the date of execution of this Agreement.

Debarment, Suspension, and Other Responsibility Matters

As required by Executive Order 12549, Debarment and Suspension, and implemented at 34 CFR Part 85, for prospective participants in primary covered transactions, as defined at 34 CFR Part, 85, Sections 85, 105 and 85.110—

The applicant certifies that it and its principles:

Are not presently debarred, suspended, proposed for debarment, declared intelligible, or voluntarily excluded from covered transactions by any Federal department or agency;

Have not within a three-year period preceding this application been convicted of or had a civil judgment rendered against them for commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (Federal, State, or local) transaction or contract under a public transaction; violation of Federal or State antitrust statutes or commission of embezzlement, theft, forgery bribery, falsification or destruction of records, making false statements or receiving stolen property;

Are not presently indicted for or otherwise criminally or civilly charged by a governmental entity (Federal, State, or local) with commission of any of the offenses enumerated in paragraph (1)(b) of the certification; and

Have not within a three-year period preceding this application had one or more public transactions (Federal, State, or local) terminated for cause or default; and

Where the applicant is unable to certify to any of the statements in this certification, he or she shall attach an explanation to this.

<u>BID PROTEST</u>. Any bid protest by any Bidder regarding any other bid on this Project must be submitted in writing to the District, before 5:00 p.m. of the <u>FOURTH (4th)</u> Business Day following bid opening.

- a. The protest must contain a complete statement of any and all bases for the protest.
- b. The protest must refer to the specific portions of all documents that form the basis for the protest.
- c. The party filing the protest must have actually submitted a bid. A bidder may not rely on the bid protest submitted by another bidder but must timely pursue his or her own protest.
- d. The protest must include the name, address and telephone number of the person representing the protesting party.
- e. The party filing the protest must concurrently transmit a copy of the protest and any attached documentation to all other parties with a direct financial interest that may be adversely affected by the outcome of the protest. Such parties shall include all other bidders or proposers who appear to have a reasonable prospect of receiving an award depending upon the outcome of the protest.
- f. The bidder whose bid has been protested may submit a written response to the bid protest. Such response shall be submitted to the District no later than 5:00 p.m., no later than three (3) working days after the deadline for submission of the bid protest, as set forth above, and shall include all supporting documentation. Such response shall also be transmitted concurrently to the protesting bidder and to all other bidders who appear to have a reasonable prospect of receiving and award depending upon the outcome of the protest.
- g. The procedure and time limits set forth in this paragraph are mandatory and are each bidder's sole and exclusive remedy in the event of bid protest. Failure to comply with these procedures shall constitute a waiver of any right to further pursue the bid protest, including filing a Government Code Claim or legal proceedings.
- h. A "business day", for purposes of this section, means a weekday during which the District's office is open and conducting business.

E-Rate Participation

The District is participating in the Federal Universal Service Discount program for schools and libraries (E-Rate), offered by the Federal Communications Commissions (FCC), via the Schools and Libraries Division (SLD). The proposal and the contract negotiated implementing this proposal, are conditional and subject to full E-Rate funding by the SLD. The District reserves the right to cancel or in any manner reduce the scope of this procurement in the event the SLD does not completely fund the request for funding submitted referencing this proposal.

E-Rate Spin

Each vendor providing services to the District as part of the E-Rate program must have a Service Provider Identification Number (SPIN). Vendor is responsible to apply to and receive from the Schools and Libraries Division a valid SPIN. Schools and Libraries Division can be reached online at: http://www.usac.org/sl

Brands

When a particular brand or brand and model number are named in connection with any item, it is named as a standard of quality and utility only. A Bidder may submit a bid to furnish an item other than that named, but the item offered by the Bidder must state in the Bid Form the brand with its model number, if any, which he will furnish. The District shall be the sole judge of whether an offered item is the equal of the named item. If the Bidder fails to write in the brand and model number of the item to be furnished, it is understood the bidder will furnish the item named by the District as the standard of quality and utility.

Samples

Where the Bidder quotes on a brand named as a standard of the quality and utility desired, a sample of the item will not be required unless specifically requested. If the bid submitted is on any other brand or make than that so named, a sample thereof must be furnished, if requested, or the bid on the item will not be considered. The sample submitted shall be the exact item the Bidder proposes to furnish. Samples of items, when requested, must be furnished free of expense to the District.

Delivery

All items shall be delivered in quantities specified in the contract F.O.B., at the points within the District as specified in the contract. Deliveries in advance of the time specified in the contract shall not be accepted unless the Bidder has obtained prior approval from the District. Unless otherwise specified, if an item is not delivered as specified in the contract or if the Bidder delivers an item which does not conform to the Specifications, the Board of Trustees may, at its option, annul and set aside the contract, either in whole or in part, and may enter into a new contract in accordance with law for furnishing such item. Any additional cost or expense incurred by the District in the making of such contract or any additional cost of supplying an item by reason of the failure of the Bidder, as described in this paragraph, shall be paid by the Bidder or his surety.

Public Works Contractor Registration Certification

If the bids for this Project are due on or after March 1, 2015, then pursuant to Labor Code sections 1725.5 and 1771.1, all contractors and subcontractors that wish to bid on, be listed in a bid proposal, or enter into a contract to perform public work must be registered with the Department of Industrial Relations. No bid will be accepted nor any contract entered into without proof of the contractor's and subcontractors' current registration with the Department of Industrial Relations to perform public work. If awarded a Contract, the Bidder and its subcontractors, of any tier, shall maintain active registration with the Department of Industrial Relations for the duration of the Project. To this end, Bidder shall sign and submit with its Bid the Public Works Contractor Registration Certification on the form provided, attesting to the facts contained therein. Failure to submit this form may render the Bid non-responsive. In addition, each Bidder shall provide the registration number for each listed subcontractor in the space provided in the Designation of Subcontractors Form.

Appendix A - List of Sites

CHICO UNIFIED SCHOOL DISTRICT

School Name	Address	City, State Zip	Telephone	Entity #
Chico High 901 Esplanade		Chico, CA 95926	(530) 891-3026	112000
Pleasant Valley High	1475 East Avenue	Chico, CA 95926	(530) 891-3050	111989

Any other location within the Greater Chico Area designated by the District

Appendix B - Scope of work and School diagrams

Cabling Infrastructure Site I

Chico High School

1	i	Cilic	o ing		1	•	
Room	MDF/IDF Location	Voice Feeds to MPOE	Fiber Strands	Exterior Wireless AP	New Cat 6 Cabling	New Fiber	Data Cabinet
A-202	MDF						
A-113	IDF				1	_	
B-3	IDF					_	
C-3	IDF					-	
F-1	IDF					_	
S-5	IDF					_	
Library-929	IDF					_	
H-1	IDF					_	
D-1	IDF					_	
Itech - 3	IDF					_	
GYM - 975	IDF					_	
GYM - BPE	IDF					_	
J - 900	IDF						
K - 900	IDF						
AG - 986	IDF					_	
Lincoln Hall	IDF						
Fitness Lab	IDF						
A-201					1		
A-203					1		
A-204							
A-205					1		
A-206							
A-207					1		
A-208							
A-209					1		
A-210							
A-212							
DED 20 440 C-LI					_		

RFP 20-110 Cabling Project Information Services Department

December 20, 2019 Page **19** of **37**

		_				_
A-101						
A-102						
A-103						
A-104						
A-105						
A-106						
A-107						
A-108						
A-109						
A-110				1		
A-111						
A-914						
A-114						
A-115						
A-118						
A-120						
A-121						
A-122						
922A						
A-123						
A-126						
A-127						
A-128						
A-129				1		
A-130						
A-131						
A-132						
A-133						
B-1						
B-2				1		
B-4				1		
B-5						
B-6				1		
B-7						
B-8			 	1		
B-9			 			
B-10			 			
B-11				1		
C-1			 			
C-2			 	1		
C-4				1		
RFP 20-110 Cabli	ng Project			Γ	ecember 20	2010

C-5					
C-6			1		
C-7					
C-8					
C-9			1		
C-10					
C-11			1		
S-1			1		
S-2					
S-3					
S-4					
S-6			1		
S-7					
F-2			1		
F-3					
F-4			1		
F-5					
L-926					
L-928					
L-929					
L-933					
L-Theatre					
L-13					
D-2			1		
H-2			1		
H-3					
H-937					
Panther Post					
Itech -1			1		
itech - 2			'		
Itech - 4					
Itech - 5					
Itech - 980					
itech - 981					
itech - 985		1			
GYM - 952		1			
GYM - 972					
GYM - 973					
GYM - 967					
GYM - 955					
	L	1	I	l .	1

GYM - 956			
dance room			
weight room			
959			
960			
961			
964			
965			
965a			
AG- 1			
AG - 2			
AG - 3			
AG - 989			
J-116		1	
J-117			
J-121			
J-122		1	
J-124			
J-217			
J-218		1	
J-219			
J-224			
J-225		1	
J-226			
J-227			
K-111			
K-112		1	
K-113			
K-114		1	
K- Commons			
K-115			
K-211			
K-212		1	
K-213			
K-214		1	
K-215			
K-Custodial			
I		33	1

Notes:

33 Indoor Wireless data locations. (2 data drops each)

Asbestos related work: abatement, drilling, etc. will be by the district



		Measure E Projects - CUSD SPECIFICAT	TIONS 3.0	NFRASTRUCTURE
Part Number	Manufact	Description	Standard or Equal	Installation
PANDUIT				
	Panduit Panduit	Cat 6 Mini-Com Jack Mini-com Faceplates (Color TBD)	District Standard- M eets 25-year warranty District Standard - M eets 25-year warranty	Per Specifications 4 Port Standard - White
	Panduit	Mini-com 4-Port Surface Mt. Boxes (Color TBD)	District Standard - Meets 25-year warranty	Used for Wireless/Camera Data Locations
CMB** (WHITE)	Panduit	Mini-com Blanks	District Standard - Meets 25-year warranty	Required for Faceplates as needed
	Panduit Panduit	Cat 6 Mini-Com Patch Panels 2RU One to One 24 Patch Panel (1U)	District Standard - Meets 25-year warranty District Standard - Meets 25-year warranty	See Racking Specifications 24 Station (6E) or 24 Phone (5E)
CPP48HDWBLY	Panduit	High Density One to One 48 Patch Panel (1U)	District Standard - Meets 25-year warranty	Per Specifications
	Panduit	One to One 48 Patch Panel (2U)	District Standard - M eets 25-year warranty	
	Panduit Panduit	High Density One to One 72 Patch Panel (2U) Mini-Com TX6 UTP Jack Modules	District Standard - Meets 25-year warranty	
	Panduit	Mini-Com TX53 UTP Jack Modules	District Standard - M eets 25-year warranty District Standard - M eets 25-year warranty	Blue - Phone Feed Jack Modules
	Panduit	Strain Relief Bar 2"	District Standard - M eets 25-year warranty	Required for Modular Patch - Cabinet Install
	Panduit Panduit	Strain Relief Bar 5" 24 STA PATCH PNL PAN CAT 5e	District Standard - Meets 25-year warranty District Standard	Required for Modular Patch - Rack Install Voice feeds at IDF's - MDF
	Panduit	Wire Management 2RU	District Standard - M eets 25-year warranty	
	Panduit	Category 6 Performance UTP 28AWG (8")	District Standard - M eets 25-year warranty	
	Panduit Panduit	Cat 6 Patch Cords 1 (Color TBD) MDF/IDF Cat 6 Patch Cords 3' (Color TBD) MDF/IDF	District Standard - Meets 25-year warranty District Standard - Meets 25-year warranty	
	Panduit	Cat 6 Patch Cords 5' (ColorTBD) MDF/IDF	District Standard - Mieets 25-year warranty District Standard - Mieets 25-year warranty	
UTPSP10**	Panduit	Cat 6 Patch Cords 10' (Color TBD) Station	District Standard- Meets 25-year warranty	Computer Station - 1Per Location
	Panduit	Cat 6 Patch Cords 15' (Color TBD) Station	District Standard- Meets 25-year warranty	Computer Station - 1Per Location (as neede
	Panduit Panduit	Cat 6 Patch Cords 25' (Color TBD) Station RU Fiber LIU	District Standard - Meets 25-year warranty District Standard - Meets 25-year warranty	
	Panduit	4RU Fiber LIU	District Standard - Meets 25-year warranty	
	Panduit	Fiber Adapter Panel SC	District Standard- Meets 25-year warranty	Per Specifications
FZE3-10M 1 (1 M ETER / OM 4 F9E10-10M 1Y	Panduit Panduit	Multimode Fiber Jumper Cables SC-LC Single Mode Fiber Jumper Cables SC-LC	District Standard- M eets 25-year warranty	Per Specifications
	Panduit Panduit	Single Mode Fiber Jumper Cables SC-LC Fiber Pigtails SC	District Standard- M eets 25-year warranty	Per Specifications
LD 10**6-A	Panduit	LD-10 Surface-Mount Raceway (Color TBD)	District Standard	Must be mounted FLUSH to Surface w/screv
JB1**-A	Panduit	LD-10 Surface-Mount Raceway Box (ColorTBD)	District Standard	Must be mounted FLUSH to Surface w/screv
	Panduit Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard	Per Specifications Per Specifications
	Panduit Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD) LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard District Standard	Per Specifications Per Specifications
	Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard	Per Specifications
DCF 10**-X (Drop Ceeiling)	Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard	Per Specifications
T702B**8	Panduit	Twin-70 Surface-Mt Raceway (Color TBD)	District Standard	Per Specifications
	Panduit Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD) Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard District Standard	Per Specifications Per Specifications
	Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard	Per Specifications
T7021C** (Inside Corner)	Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard	Per Specifications
	Panduit Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard District Standard	Per Specifications Per Specifications
1 702EE (Entrance End)	Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard	Per Specifications
GENERAL CABLE				
Blue P/N: 7133900	General	GenSpeed 6000E	District Standard- Meets 25-year warranty	Standard Indoor Station Cabling
	General	10 Gig Indoor/Outdoor 550m (OM 4 - PLENUM)	District Standard - Meets 25-year warranty	
	General General	10 Gig => Indoor/Outdoor SingleMode (OS1-PLENUM Cat 6 OSP Genspeed 6000	District Standard - Meets 25-year warranty District Standard - Meets 25-year warranty	Fiber Backbone => 1401feet Outdoor Station Cabling
7526569	General	12 Pair/22Gauge PE-89	District Standard - Meets 25-year warranty District Standard - Meets 25-year warranty	Phone feeder cable to IDF-M DF
7526577	General	25 Pair/22Gauge PE-89	District Standard - Meets 25-year warranty	Phone feeder cable to IDF-MDF-MPOE
	General	50 Pair/22Gauge PE-89	District Standard - Meets 25-year warranty	Phone feeder cable to IDF-MDF-MPOE
CHATSWORTH				
12804-701	Chatsworth	Fan Kit	District Standard	Not Required in Classrooms
	Chatsworth	Filter Kit	District Standard	Not Required in Classrooms
11900-724	Chatsworth	2' Cube-It Dual-Hinged Wall-Mount Cabinets	District Standard	IDF Wall Mount - Drop Count =
	Chatsworth	36X24X24 CHATSWORTH	District Standard	IDF Wall Mount - Drop Count =>
	Chatsworth Chatsworth	48X24X24 CHATSWORTH N-SERIES TERAFRAME 83.4"" Data Rack	District Standard District Standard	IDF Wall Mount - Drop Count => MDF Location - Check for required Space
30530-719	Chatsworth	N-Series Double-Sided, 2U, Black Cable Managemer		MDF Location - Check for required Space
			District Standard	MDF Location - Check for required Space
HUBBELL			Tarring to the state of the sta	
	HUBBELL	REM EQUIP -4HUB 42 H BK - Slim Line Wall Data Ca	District Standard	
CARLON A6D2S1JNNB1000	Cort			For Slim IDF Location -48 Port Max
	Carron	1/4" innerduct OSP-HOPF	or Equal	
DG4X1C-500R	Carlon	11/4" innerduct OSP-HOPE 11/4" innerduct Riser	or Equal	Required for Fiber - Outdoor use Require for Fiber - Indoor use
				Required for Fiber - Outdoor use
CANTEX	Carlon	11/4" innerduct Riser	or Equal	Required for Fiber - Outdoor use Require for Fiber - Indoor use
CANTEX 5133713				Required for Fiber - Outdoor use
CANTEX 5 1337 13 B-LINE	Carlon	194" innerduct Riser Exterior Box for Wireless and Security Cams	or Equal District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box
CANTEX 5:537:5 B-LINE BCH 21	Carlon	11/4" innerduct Riser	or Equal	Required for Fiber - Outdoor use Require for Fiber - Indoor use
CANTEX 5133713 B-LINE BCH 21 BCH 32	Cantex B-Line	19/4" Innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal	or Equal District Standard District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC
CANTEX 5133713 B-LINE BCH 21 BCH 32 BCH 64	Cantex B-Line B-Line B-Line	#Y4" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal	or Equal District Standard District Standard District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC
CANTEX 5133713 B-LINE BCH 21 BCH 32 BCH 64	Cantex B-Line B-Line B-Line	#Y4" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal	or Equal District Standard District Standard District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC
CANTEX 613378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and	Cantex B-Line B-Line B-Line	#V4" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal	or Equal District Standard District Standard District Standard District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC
CANTEX 5133713 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and	Cantex B-Line B-Line B-Line	#Y4" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal Figure 1	District Standard District Standard District Standard District Standard District Standard District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications
CANTEX 53378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC	Cantex B-Line B-Line B-Line	#W4" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal Figure 1	or Equal District Standard District Standard District Standard District Standard District Standard District Standard Alternate Standard upon District Approval	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications
CANTEX 513378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC IMC	Cantex B-Line B-Line B-Line	#Y4" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal Figure 1	District Standard District Standard District Standard District Standard District Standard District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications
CANTEX 53378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC IMC EMT PSF 8C PSF 8D	Carlon Cantex B-Line B-Line B-Line Fastene	#W4" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal Figure 1	or Equal District Standard District Standard District Standard District Standard District Standard Alternate Standard upon District Approval District Standard	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications
CANTEX 53378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC IMC EMT PSF 8C PSF 8D	Cantex B-Line B-Line B-Line CADDY	#14" innerduct Riser Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal J - hooks with retaining clips or Equal Figure 1	or Equal District Standard Or Equal	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits
CANTEX 583378 B-LINE BCH 21 BCH 22 BCH 64 Metal Conduits and RMC MMC EMT PSF8C PSF8C PSF8D Rain Tight Can Additional District C	Cantex B-Line B-Line B-Line Cantex B-Line B-Line B-Line B-Line B-Line B-Line B-Line Cabling	Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal Exterior Box 100 clips or Equal Figid Metal Threaded Conduit Intermediate Metal Conduit Electrical Metal Tubing Roof Blocks 4.8" Roof Blocks 6.4" Roof Cans 24x24 Ind Infrastructure Specifications:	or Equal District Standard District Standard District Standard District Standard District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wreless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
CANTEX 53378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC MC M	Cantex B-Line B-Line B-Line CADDY CADDY Bline CADDY Bline Cabling a g will be ter even or add here sleeve, upport 10 + pt exceed 6 and Facepia	Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal FS Rigid M etal Threaded Conduit Intermediate M etal Conduit Electrical Metal Tubing Roof Blocks 4.8" Roof Blocks 6.4" Roof Cans 24x24 and Infrastructure Specfications: minated to new Panduit patch panels as requal to the provided for each Colitional IDF locations with appropriate (full) mores are required. Gbit backbone. 0% fill unless otherw ise specified by the Dist at simulation of the provided for the provided for each Colitional IDF locations with appropriate (full) mores are required. Gbit backbone.	District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal computer Station. unting and painted.	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
CANTEX 53378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC IMC EMT PSF 8C PSF 8D Rain Tight Can Additional District C 1. All Cat6 and 5e cabling 2. One New 10' or Greate 3. New backboards for n 4. Minimum 2" sleeves w 15. Physical Fiber must su 6. Data Cabinets must no 7. All Racew ay, boxes, a 8. All fiber requires Fusio 9. All indoor and outdoor	Cantex B-Line B-Line B-Line CADDY CADDY CADDY Bline Cabling a g w ill be ter er, Black, C ew or add here sleev, pport 10 + to exceed 6 and Facepla m Facepla Metal Con	Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal Lips of Equal Rigid Metal Threaded Conduit Electrical Metal Tubing Roof Blocks 4.8" Roof Cans 24x24 Roof Cans 24x24 Roof Land Security Canson	District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal computer Station. unting and painted.	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
CANTEX DESTREAM B-LINE B-CH 21 B-CH 22 B-CH 64 Metal Conduits and RMC MC EMT SERIE	Cantex B-Line B-Line B-Line CADDY CADDY CADDY Biline Cabling a g w ill be ter er, Black, C ew or add here sleev upport 10 + t exceed 6 and Facepla Metal Con- equire pow equire pow ere required.	Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal Figure 1	District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal iried Computer Station. unting and painted. rict d. Racew ay and boxes are to be Mcd d trays - Per Contractor ow ned Splic its do not require painting)	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
CANTEX 53378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC IMC IMC IMC IMC IMC IMC IMC IMC IMC I	Cantex B-Line B-Line B-Line B-Line CADDY CADDY GADDY Bline Cabling a gwill be ter er, Black, C ew or add there sleeve, pport 10 + et exceed 6; and Facepla on Splicing 1 Metal Con- equire power ere required ire sleeves	Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal - Security Campaign of Equal - Security Campaign or Equal - Security Campaign - Se	District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal or Equal corequal or Equal corequal corequal corequal corequal corequal corequal computer Station. unting and painted.	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
CANTEX 53378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC IMC IMC IMC IMC IMC IMC IMC IMC IMC I	Cantex B-Line B-Line B-Line B-Line CADDY CADDY GADDY Bline Cabling a gwill be ter er, Black, C ew or add there sleeve, pport 10 + et exceed 6; and Facepla on Splicing 1 Metal Con- equire power ere required ire sleeves	Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal Lips of Equal Rigid Metal Threaded Conduit Electrical Metal Tubing Roof Blocks 4.8" Roof Cans 24x24 Roof Cans 24x24 Roof Land Security Canson	District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal or Equal corequal or Equal corequal corequal corequal corequal corequal corequal computer Station. unting and painted.	Required for Fiber - Outdoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
CANTEX 513378 B-LINE BCH 21 BCH 32 BCH 64 Metal Conduits and RMC MC M	Cantex B-Line B-Line B-Line B-Line CADDY CADDY GADDY Bline Cabling a gwill be ter er, Black, C ew or add there sleeve, pport 10 + et exceed 6; and Facepla on Splicing 1 Metal Con- equire power ere required ire sleeves	Exterior Box for Wireless and Security Cams J - hooks with retaining clips or Equal Lips of Equal Rigid Metal Threaded Conduit Electrical Metal Tubing Roof Blocks 4.8" Roof Cans 24x24 Roof Cans 24x24 Roof Land Security Canson	District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal or Equal corequal or Equal corequal corequal corequal corequal corequal corequal computer Station. unting and painted.	Required for Fiber - Outdoor use Require for Fiber - Indoor use Require for Fiber - Indoor use Outdoor Wireless/Security Cam box Mounted no more than 5' OC Mounted no more than 5' OC Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits

Cabling Infrastructure Site II

Pleasant Valley High School

Ť	1	ricasanı	, vanc	y mgm oc		1	ı
							ļ
Deam	MDF/IDF	Voice Feeds to	Fiber	Exterior Wireless	New Cat 6	New	Data
Room	Location MDF	MPOE	Strands	AP	Cabling	Fiber	Cabinet
Lib - 974	IDF						
L-1	IDF						
A - 901	IDF					_	
B - 920A	IDF					_	
C-908	IDF					_	
D-2	IDF					_	
M-966 E-2	IDF					_	
P-1	IDF					_	
O - 1A	IDF				4	_	
	IDF				1	_	
S-961 GYM -						_	
941	IDF					_	
V - 931	IDF					_	
CFA - 990	IDF						ļ
Y - 1.1	IDF						
Y - 1.2	IDF						
Y - 2.1	IDF						
Y - 2.2	IDF						
Admin							
A-1							
B-1							
B-2					1		
B-3							
B-4					1		
B-5							
B-6							
B-7					1		
B-8							
B-9					1		
B-10							
	I	I	1	I		1	

RFP 20-110 Cabling Project Information Services Department December 20, 2019 Page **25** of **37**

C-1		1	I	
			4	
C-2			1	
C-3			1	
C-4 C-4				
office				
C-5				
C-5 office				
C-6			1	
C-7				
D-1				
D-3				
D-4				
D-4				
office D-5				
D-5				
office				
E-1				
E-1 office				
E-2 office				
E-3				
M-1				
M-2			1	
M-3				
M-4			1	
M-4A				
M-4B				
M-4C				
M-5				
M-965				
M-6			1	
M-7				
M-8			1	
M-9				
M-10				
M-11				
M-12			1	
O-1B				
O-2				
O-3			1	
0-4				


I	1	1	1	1	1	l i	ĺ
O-5					1		
O-6							
P-2					1		
P-3							
P-4					1		
P-980							
S-1							
S-2					1		
S-3							
S-4					1		
S-5							
S-6					1		
S-7							
S-8					1		
S-963							
S-963b							
S - Roof							
mat room							
weight							
room							
958							
GPE							
BPE West							
gym							
East gym							
V-929							
V-1							
CFA							
Y-101							
Y-102							
Y-103							
Y-104	_				_		
Y-105							
Y-106							
Y-107							
Y-108							
Y-109							
Y-110							
Y-111							
Y-112							
Y- office							
1 DED 30 110 C	abling Project					December 20	2010

Y-office 2				
Y-office 3				
Y-201				
Y-202				
Y-203				
Y-204				
Y-205				
Y-206				
Y-207				
Y-208				
Y-209				
Y-210				
Y-211				
Y-212 Y - office				
4				
Y - office 5				
Y - office				
6				
Y - Roof				
Library				
L-969				
L-971				
L-972				
L-973				
L-977				
Store			1	
			22	

Notes:

22 Indoor Wireless data locations. (2 data each)

Asbestos related work: abatement, drilling, etc. will be by the district



Appendix C - Measure E Projects - CUSD DATA CABLING AND INFRASTRUCTURE SPECIFICATIONS 3.0				
	M anufact	Description	Standard or Equal	Installation
PANDUIT				
	Panduit Panduit	Cat 6 Mini-Com Jack Mini-com Faceplates (Color TBD)	District Standard- Meets 25-year warranty District Standard - Meets 25-year warranty	Per Specifications 4 Port Standard - White
	Panduit	Mini-com 4-Port Surface Mt. Boxes (Color TBD)	District Standard - Meets 25-year warranty	Used for Wireless/Camera Data Locations
CMB** (WHITE)	Panduit	Mini-com Blanks	District Standard - Meets 25-year warranty	Required for Faceplates as needed
	Panduit Panduit	Cat 6 Mini-Com Patch Panels 2RU One to One 24 Patch Panel (1U)	District Standard - M eets 25-year warranty District Standard - M eets 25-year warranty	See Racking Specifications 24 Station (6E) or 24 Phone (5E)
CPP48HDWBLY	Panduit	High Density One to One 48 Patch Panel (1U)	District Standard - Meets 25-year warranty	Per Specifications
	Panduit	One to One 48 Patch Panel (2U)	District Standard - M eets 25-year warranty	
	Panduit Panduit	High Density One to One 72 Patch Panel (2U) Mini-Com TX6 UTP Jack Modules	District Standard - Meets 25-year warranty	
	Panduit	Mini-Com TX53 UTP Jack Modules	District Standard - M eets 25-year warranty District Standard - M eets 25-year warranty	Blue - Phone Feed Jack Modules
	Panduit	Strain Relief Bar 2"	District Standard - Meets 25-year warranty	Required for Modular Patch - Cabinet Install
	Panduit Panduit	Strain Relief Bar 5" 24 STA PATCH PNL PAN CAT 5e	District Standard - Meets 25-year warranty District Standard	Required for Modular Patch - Rack Install Voice feeds at IDF's - MDF
	Panduit	Wire Management 2RU	District Standard - M eets 25-year warranty	
UTP28SP8IN**	Panduit	Category 6 Performance UTP 28AWG (8")	District Standard - Meets 25-year warranty	IDF/MDF HD Modular Patch Cable
	Panduit Panduit	Cat 6 Patch Cords 1 (Color TBD) MDF/IDF Cat 6 Patch Cords 3 (Color TBD) MDF/IDF	District Standard - Meets 25-year warranty District Standard - Meets 25-year warranty	
	Panduit	Cat 6 Patch Cords 5' (ColorTBD) MDF/IDF	District Standard - Mieets 25-year warranty District Standard - Mieets 25-year warranty	
UTPSP10**	Panduit	Cat 6 Patch Cords 10' (Color TBD) Station	District Standard- Meets 25-year warranty	Computer Station - 1Per Location
	Panduit	Cat 6 Patch Cords 15' (Color TBD) Station	District Standard- Meets 25-year warranty	Computer Station - 1Per Location (as neede
	Panduit Panduit	Cat 6 Patch Cords 25' (Color TBD) Station RUFiber LIU	District Standard - Meets 25-year warranty District Standard - Meets 25-year warranty	
	Panduit	4RU Fiber LIU	District Standard - Meets 25-year warranty	
	Panduit	Fiber Adapter Panel SC	District Standard- Meets 25-year warranty	
FZE3-10M 1 (1 M ETER / OM 4 F9E10-10M 1Y	Panduit Panduit	Multimode Fiber Jumper Cables SC-LC Single Mode Fiber Jumper Cables SC-LC	District Standard- M eets 25-year warranty	Per Specifications
	Panduit Panduit	Single Mode Fiber Jumper Cables SC-LC Fiber Pigtails SC	District Standard- Meets 25-year warranty	Per Specifications
LD 10**6-A	Panduit	LD-10 Surface-Mount Raceway (Color TBD)	District Standard	Must be mounted FLUSH to Surface w/screv
JB1**-A	Panduit	LD-10 Surface-Mount Raceway Box (ColorTBD)	District Standard	Must be mounted FLUSH to Surface w/scree
	Panduit Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard	Per Specifications Per Specifications
	Panduit Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD) LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard District Standard	Per Specifications Per Specifications
	Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard	Per Specifications
DCF 10**-X (Drop Ceeiling)	Panduit	LD-10 Surface-Mount Raceway Fitting (Color TBD)	District Standard	Per Specifications
T702B**8	Panduit	Twin-70 Surface-Mt Raceway (Color TBD)	District Standard	Per Specifications
	Panduit Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD) Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard District Standard	Per Specifications Per Specifications
	Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard	Per Specifications
T7021C** (Inside Corner)	Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard	Per Specifications
	Panduit Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard District Standard	Per Specifications Per Specifications
1 702EE (Entrance End)	Panduit	Twin-70 Surface-Mt Raceway Fitting (Color TBD)	District Standard	Per Specifications
GENERAL CABLE				
Blue P/N: 7133900	General	GenSpeed 6000E	District Standard- Meets 25-year warranty	Standard Indoor Station Cabling
	General	10 Gig Indoor/Outdoor 550m (OM 4 - PLENUM)	District Standard - Meets 25-year warranty	
	General General	10 Gig => Indoor/Outdoor SingleMode (OS1-PLENUM Cat 6 OSP Genspeed 6000	District Standard - M eets 25-year warranty District Standard - M eets 25-year warranty	Fiber Backbone => 1401feet Outdoor Station Cabling
7526569	General	12 Pair/22Gauge PE-89	District Standard - Meets 25-year warranty	Phone feeder cable to IDF-MDF
7526577	General	25 Pair/22Gauge PE-89	District Standard - Meets 25-year warranty	Phone feeder cable to IDF-MDF-MPOE
	General	50 Pair/22Gauge PE-89	District Standard - Meets 25-year warranty	Phone feeder cable to IDF-MDF-MPOE
CHATSWORTH				
12804-701	Chatsworth	Fan Kit	District Standard	Not Required in Classrooms
12805-701	Chatsworth	Filter Kit	District Standard	Not Required in Classrooms
	Chatsworth	2' Cube-It Dual-Hinged Wall-Mount Cabinets	District Standard	IDF Wall Mount - Drop Count =
	Chatsworth	36X24X24 CHATSWORTH 48X24X24 CHATSWORTH	District Standard District Standard	IDF Wall Mount - Drop Count => IDF Wall Mount - Drop Count =>
	Chatsworth	N-SERIES TERAFRAME 83.4"" Data Rack	District Standard District Standard	MDF Location - Check for required Space
	Chatsworth	N-Series Double-Sided, 2U, Black Cable Managemer		MDF Location - Check for required Space
	Chatsworth	N-Series 19" W x 2U Panel, Black	District Standard	MDF Location - Check for required Space
HUBBELL RE4XB	HIBETI	DEM FOLID ALLIB 42 L DV. O'	District Standard	Ear Slim IDE Laastie - 12 De 144 -
CARLON	HUBBELL	REM EQUIP -4HUB 42 H BK - Slim Line Wall Data Ca	District Standard	For Slim IDF Location -48 Port Max
	Carlon	1/4" innerduct OSP-HOPE	or Equal	Required for Fiber - Outdoor use
	Carlon	11/4" innerduct Riser	orEqual	Require for Fiber - Indoor use
CANTEX			Lancing and the second	
5133713 B-LINE	Cantex	Exterior Box for Wireless and Security Cams	District Standard	Outdoor Wireless/Security Cam box
	B-Line	J - hooks with retaining clips or Equal	District Standard	Mounted no more than 5' OC
		J - hooks with retaining clips or Equal		
BCH 32	B-Line	3 - NOOKS WITH CAIRING CIPS OF Equal	District Standard	Mounted no more than 5' OC
		J - hooks with retaining clips or Equal	District Standard District Standard	Mounted no more than 5' OC Mounted no more than 5' OC
BCH 64	B-Line B-Line	J - hooks with retaining clips or Equal		
BCH 64	B-Line B-Line	J - hooks with retaining clips or Equal		
BCH 64 Metal Conduits and	B-Line B-Line	J - hooks with retaining clips or Equal	District Standard	Mounted no more than 5' OC
BCH 64 Metal Conduits and	B-Line B-Line	J - hooks with retaining clips or Equal rs Rigid M etai Threaded Conduit	District Standard District Standard	Mounted no more than 5' OC Used for Roof Applications
BCH 64 Metal Conduits and RMC	B-Line B-Line	J - hooks with retaining clips or Equal	District Standard	Mounted no more than 5' OC Used for Roof Applications
Metal Conduits and RMC IMC EMT PSF8C	B-Line B-Line Fastene	J - hooks with retaining clips or Equal rs Rigid M etal Threaded Conduit Intermediate M etal Conduit Electrical M etal Tubing Roof Blocks 4.8"	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits
BCH 64 Metal Conduits and RMC IMC EMT PSF 16C PSF 16D	B-Line B-Line Fastene CADDY CADDY	J - hooks with retaining clips or Equal Rigid M etal Threaded Conduit Intermediate M etal Conduit Electrical M etal Tubing Roof Blocks 4.8" Roof Blocks 6.4"	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
BCH 64 Metal Conduits and RMC IMC EMT PSF16C PSF15D Rain Tight Can	B-Line B-Line CADDY CADDY Bline	J - hooks with retaining clips or Equal Rigid Metal Threaded Conduit Intermediate Metal Conduit Electrical Metal Tubing Roof Blocks 4.8" Roof Blocks 6.4" Roof Cans 24x24	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits
BCH 64 Metal Conduits and RMC IMC EMT PSF 8C PSF 8D Rain Tight Can Additional District C	B-Line B-Line Fastene CADDY CADDY Bline Cabling a	J - hooks with retaining clips or Equal Rigid Metal Threaded Conduit Intermediate Metal Conduit Electrical Metal Tubing Roof Blocks 4.8" Roof Blocks 6.4" Roof Cans 24x24	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
MCTAL Conduits and RMC MC BMT PSF 8C PSF 8D Rain Tight Can Additional District C 1. All Cat6 and 5e cabling 2. One New 10' or Greate 3. New backboards for 14. Minimum 2" sleeves w 15. Physical Fiber must su 6. Data Cabinets must no 7. All Racew ay, boxes, a 8. All fiber requires Fusion 9. All indoor and outdoor	B-Line B-Line B-Line CADDY CADDY Bline Bline Bline Bline Bline CADDY CADDY Bline CADDY CAD	J - hooks with retaining clips or Equal S Rigid M etal Threaded Conduit Intermediate M etal Conduit Electrical M etal Tubing Roof Blocks 4.8" Roof Blocks 6.4" Roof Cans 24x24 Ind Infrastructure Specfications: Inminated to new Panduit patch panels as requal 6 Patch Cable must be provided for each Coties are required.	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal irred Computer Station. unting and painted.	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
Metal Conduits and RMC MC MC MC MC EMT PSF 80 Rain Tight Can Additional District C 1. All Cat6 and 5e cabling 2. One New 10' or Great 3. New backboards for n 4. Minimum 2" sleeves w 15. Physical Fiber must su 6. Data Cabinets must no 7. All Racew ay, boxes, a 8. All fiber requires Fusio 9. All indoor and outdoor 10. Island data locations r 10. Island data locations r 10. Island data locations r 10. Island data locatiors and	B-Line B-Line B-Line CADDY CADDY CADDY Biline Biline Biline Biline Cabling a j w ill be ter pr. Black, C texceed 6 ind Facepla Metal Con equire pow re require pro	J - hooks with retaining clips or Equal Clips of the second of the seco	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal irred Computer Station. unting and painted. rict d. Racew ay and boxes are to be Mc d trays - Per Contractor ow ned Splic its do not require painting)	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
Metal Conduits and RMC IMC IMC IMC IMT PSF BC PSF BD Rain Tight Can Additional District C 1. All Cat6 and 5e cabling 2. One New 10' or Greate 3. New backboards for n 4. Minimum 2" sleeves w! 5. Physical Fiber must su 6. Data Cabinets must no 7. All Racew ay, boxes, a 8. All fiber requires Fusio 9. All indoor and outdoor 10. Island data locations r 10. Island data locations r 11. Lightning protectors a 11. Lightning protectors a	B-Line B-Line B-Line CADDY CADDY Bline asbling a y will be ter er, Black, C ew or add here sleeven t exceed 6 and Facepla n Splicing Metal Con equire pow ere requirecre sleeves	J - hooks with retaining clips or Equal Rigid M etal Threaded Conduit Intermediate M etal Conduit Electrical M etal Tubing Roof Blocks 4.8* Roof Blocks 6.4* Roof Cans 24x24 and Infrastructure Specifications: minated to new Panduit patch panels as requat 6 Patch Cable must be provided for each Citional IDF locations with appropriate (full) more are required. Gbit backbone. 0% fill unless otherwise specified by the Dist ates must be white unless otherwise specified Panduit factory made pigtail assemblies and duting must be painted to match - (roof conducter/data poles unless otherwise specified	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal irred Computer Station. unting and painted. rict d. Racew ay and boxes are to be Mod d trays - Per Contractor ow ned Splic its do not require painting) et (no exposed cabling)	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
Metal Conduits and RMC IMC IMC IMC IMT PSF BC PSF BD Rain Tight Can Additional District C 1. All Cat6 and 5e cabling 2. One New 10' or Greate 3. New backboards for n 4. Minimum 2" sleeves w! 5. Physical Fiber must su 6. Data Cabinets must no 7. All Racew ay, boxes, a 8. All fiber requires Fusio 9. All indoor and outdoor 10. Island data locations r 10. Island data locations r 11. Lightning protectors a 11. Lightning protectors a	B-Line B-Line B-Line CADDY CADDY Bline asbling a y will be ter er, Black, C ew or add here sleeven t exceed 6 and Facepla n Splicing Metal Con equire pow ere requirecre sleeves	J - hooks with retaining clips or Equal S Rigid M etal Threaded Conduit Intermediate M etal Conduit Electrical M etal Tubing Roof Blocks 4.8" Roof Blocks 6.4" Roof Cans 24x24 Ind Infrastructure Specfications: Inminated to new Panduit patch panels as request 6 Patch Cable must be provided for each Citional IDF locations with appropriate (full) more sare required. Gbit backbone. O's fill unless otherw ise specified by the Dist ates must be white unless otherw ise specified to Panduit factory made pigtall assemblies and uits must be painted to match - (roof conducter/data poles unless otherwise specified I for all outdoor phone copper feeds. or Raceway to be fastened directly to Cabine	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal irred Computer Station. unting and painted. rict d. Racew ay and boxes are to be Mod d trays - Per Contractor ow ned Splic its do not require painting) et (no exposed cabling)	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits
Metal Conduits and RMC IMC EMT PSF #6C PSF #5D Rain Tight Can Additional District C 1. All Cat6 and 5e cabling 2. One New 10' or Greate 3. New backboards for n 4. Minimum 2" sleeves w! 5. Physical Fiber must su 6. Data Cabinets must noi 7. All Racew ay, boxes, a 8. All fiber requires Fusio 9. All indoor and outdoor 10. Island data locations r 11. Lightning protectors ai 12. Data Cabinets - Require Vendor to sign as a	B-Line B-Line B-Line CADDY CADDY Bline asbling a y will be ter er, Black, C ew or add here sleeven t exceed 6 and Facepla n Splicing Metal Con equire pow ere requirecre sleeves	J - hooks with retaining clips or Equal S Rigid M etal Threaded Conduit Intermediate M etal Conduit Electrical M etal Tubing Roof Blocks 4.8" Roof Blocks 6.4" Roof Cans 24x24 Ind Infrastructure Specfications: Inminated to new Panduit patch panels as request 6 Patch Cable must be provided for each Citional IDF locations with appropriate (full) more sare required. Gbit backbone. O's fill unless otherw ise specified by the Dist ates must be white unless otherw ise specified to Panduit factory made pigtall assemblies and uits must be painted to match - (roof conducter/data poles unless otherwise specified I for all outdoor phone copper feeds. or Raceway to be fastened directly to Cabine	District Standard District Standard Alternate Standard upon District Approval District Standard or Equal or Equal or Equal irred Computer Station. unting and painted. rict d. Racew ay and boxes are to be Mod d trays - Per Contractor ow ned Splic its do not require painting) et (no exposed cabling)	Mounted no more than 5' OC Used for Roof Applications Used for Roof Applications Indoor and Vertical Wall Applications To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits To accommodate up to 4 - 2" Conduits

Cost Proposal RFP 20-110 Responder Company Name:_____ Responder Name:_____ Responder Title:_____ Responder SPIN: Responder Phone: Vendor must supply their own cost proposal form with detailed line items.

Responding to Request For Proposal No. 20-110 due January 21, 2020 before 3:00 PM

RFP Form

RFP 20-110

Chico Unified School District 1163 Est 7th Street Chico, California 95928

To: Superintendent and Members of the Board of Education

The undersigned, doing business under the full and complete legal Responder name as set forth below, having examined the Notice to Responders, RFP Instructions, Scope of Work & Requirements, General Conditions, Agreement and all other documents forming a part of the RFP package for the above-referenced RFP, hereby proposes to perform the Agreement, including all of its component parts, and to furnish all materials called by them for the entire order for the prices set forth in the documents contained in said RFP package. The entire RFP Package is submitted, together with this RFP Form.

Name of Company:	
Legal Status (i.e., sole proprietor	ship, partnership, corporation):
Tax I.D. Number (Sole Proprietor	rship Only):
Address:	
Authorized Representative:	
	Signature
	Name (Print or Type)
	Title
	Date
	()
	Phone
	()
	Fax
	E-mail address

Administrative Offices 1163 E. Seventh Street Chico, CA 95928-5999 phone: (530) 891-3000 • fax: (530) 891-3220 • www.ChicoUSD.org

Letter of Agreement - RFP 20-110

Infrastructure, (Name of Company)	chool District's RFP # 20-110 for Cabling's
response to RFP #20-110 dated (mm/dd	/yyyy), (Name of Company)
will provide	le the equipment and services per RFP # 20-110
effective the date of issuance of Chico U	nified School District Purchase Order(s).
(Name of Company)	and Chico Unified
School District acknowledge that this a	greement is for E-Rate eligible products and services,
which are contingent on funding by the S	school and Libraries Division of USAC/FCC and the Chico
Unified School District for E-Rate Year 2	020 (Year 23), and Chico Unified School District Board
of Education approval.	
The Chico Unified School District (Dist	rict) reserves the right to terminate the referenced
•	ocuments associated with the Request for Proposal,
including but not limited to this Letter o	f Agreement, in its sole discretion at any time, with or
without cause, upon written notice to th	e other party. In the event of termination, notice shall
•	g and shall be effective immediately. The Chico Unified
School District shall not be responsible f	or any costs to Bidder prior to termination.
Chica Unified Cohool District	
Chico Unified School District	(Name of Company)
	(Name of Company)
Authorized Representative Signature	Authorized Representative Signature
Date:	Date:
Name: Kelly Staley	Name:
Title: Superintendent	Title:
Address: 1163 East Seventh Street	Address:
Chico, CA 95928-5999	
Email: KStaley@chicousd.org	Email:
Phone: (530) 891-3000	Phone:

Fingerprint Certification

RFP 20-110

Responder	Certification
Кезропаст	certification

l,			_, am an authorize	d renresentative
of/doing	business	as	_, am an addionize (Name	u representative Of
			•	hereby certify
that, pursua	ant to Education Code Section	45125.1, this	s business entity ha	s conducted the
required cri	minal background check(s) of all	its employee	es who may have cor	tact with District
pupils or ur	nsupervised access to any Distric	t campus of	f the Chico Unified S	chool District on
behalf of th	nis business entity, and that no	ne of those	persons have been	reported by the
•	t of Justice as having been convi		rious or violent felor	ny as specified in
Penal Code	Sections 667.5(c) and/or 1192.7(c).		
Failure to co	omply with these terms or permi	itting unsune	ervised access by an	emplovee whose
	of been cleared by DOJ as certifi		•	• •
	of this Agreement.	icd by the co	ontractor shall const	itate grounds for
terrimation	or this Agreement.			
I declare un	der penalty of perjury under the	laws of the St	tate of California tha	t the foregoing is
true and co	rrect.			
Evacuted t	his day of	20	in	County
California.	ilis uay oi	, 20	, ""	County
camorria.				
Name of Re	sponder/Consultant (please print	t)		
·				
Name/Title	of Authorized Representative (pr	inted)		
(Signature)				

Statement of Non-Conflict of Interest

RFP 20-110

The Responder hereby warrants that he or she has no business or financial interests that are in conflict with his or her obligations to the District and further agrees to disclose any such interest which may be acquired during the life of an agreement with the District. The Responder also certifies that it and its members are not, officers, agents, or employees of the District, nor have they been since January 1, 2001.

Signature		
Printed Name		
Title		
Responder		
Date		

Insurance Acknowledgement

RFP 20-110

Notice to Bidders regarding Indemnity and Insurance Requirements

Summary of Indemnification and Insurance Requirements:

- 1. These are the Indemnity and Insurance Requirements for Contractors providing services or supplies to Chico Unified School District (Buyer). By agreeing to perform the work or submitting a proposal, you verify that you comply with and agree to be bound by these requirements. If any additional Contract documents are executed, the actual Indemnity language and Insurance Requirements may include additional provisions as deemed appropriate by Buyer.
- 2. You should check with your Insurance advisors to verify compliance and determine if additional coverage or limits may be needed to adequately insure your obligations under this agreement. These are the minimum required and do not in any way represent or imply that such coverage is sufficient to adequately cover the Contractor's liability under this agreement. The full coverage and limits afforded under Contractor's policies of Insurance shall be available to Buyer and these Insurance Requirements shall not in any way act to reduce coverage that is broader or includes higher limits than those required. The Insurance obligations under this agreement shall be: 1—all the Insurance coverage and limits carried by or available to the Contractor; or 2—the minimum Insurance requirements shown in this agreement, whichever is greater. Any insurance proceeds in excess of the specified minimum limits and coverage required, which are applicable to a given loss, shall be available to Buyer.
- 3. Contractor shall provide Buyer with Certificates of Insurance including all required endorsements and a copy of the Declarations and Endorsement Page of the CGL policy listing all policy endorsements to Buyer before work begins. Buyer reserves the right to require full-certified copies of all Insurance coverage and endorsements.
- I. Indemnification & Insurance:

Contractor shall be an independent contractor and not an agent or employee of District under this Agreement. Contractor shall be responsible for any damage, loss, or other claim arising out of the performance of its services under this Agreement.

Prior to commencement of services and during the life of this Agreement, Contractor shall provide the District with a current certificate or policy evidencing its professional general liability insurance coverage in a sum not less than \$1,000,000 per occurrence, and such certificate or policy shall name the District as an additional insured.

To the fullest extent allowed by law, Contractor shall defend, indemnify, and hold harmless District, its directors, officers, agents, employees, and guests against any claim or demand arising from any actual or alleged act, error, or omission by Contractor or its directors, officers, agents, employees, volunteers, or guests arising

from Contractor's duties and obligations described in this Agreement or imposed by law.

To the fullest extent allowed by law, District shall defend, indemnify, and hold harmless Contractor, its directors, officers, agents, employees, and guests against any claim or demand arising from any actual or alleged act, error, or omission by District or its directors, officers, agents, employees, volunteers, or guests arising from District's duties and obligations described in this Agreement or imposed by law. Contractor is not an employee of the District and District shall not indemnify Contractor in any such claim.

Contractor shall be responsible for carrying its own workers' compensation insurance and health and welfare insurance. District shall not withhold or set aside income tax, Federal Insurance Contributions Act (FICA) tax, unemployment insurance, disability insurance, or any other federal or state funds whatsoever. It shall be the sole responsibility of the Contractor to account for all of the above and Contractor agrees to hold District harmless from all liability for these taxes.

I have read and understand the above requirements and agree to be bound by them for any work performed for the Buyer.

Signature		
Printed Name		
Title		
Responder		
Date		